

INDEX.

- Additions and Corrections, 320, 346.
 American sp. of *Centroptilum*, 179; *Cloëon*, 190.
 Analysis gen. *Leptophlebia* type, 82; of Groups, Genera, &c., 309.
 Analytical index to descrip. and illus. of Nymphs, 317.
 Asiatic sp. of *Ecdyurus*, 281; *Heptagenia*, 268.
- Baëtis*, Central and S. Amer. sp. of, 170; European sp. of, 158; Indian and Cingalese sp. of, 171; N.-Amer. sp. of, 168.
- Central and S.-Amer. sp. of *Baëtis*, 170.
Centroptilum, American sp., 179.
 Characters as basis of classification not fundamental, 17.
 Cingalese sp. of *Cloëon*, 181.
Cloëon, Amer. sp., 190; Cingalese sp., 181; European sp., 182.
 Cross-veinlets, 6.
 Colour, definition shades and tints of, 1.
 Conspectus of classification, 21.
- Ecdyurus*, N.-Amer. sp. of, 278; European and Asiatic sp. of, 281.
 Egg and Oviposition, 11.
 European sp. of *Baëtis*, 158; *Cloëon*, 182; *Ecdyurus*, 281; *Heptagenia*, 268; *Rhithrogena*, 255; *Siphlorus*, 216.
- Forceps, of male, 8.
 Fore wings, shape, 3; their nervures, 5.
- Genera, group I., 22; group II., 77; group III., 199.
 Geographical distrib. of *Ephemeridæ*, 307.
- Habits of Mayflies, 8.
 Hairs and hairy covering, 17.
Heptagenia, N.-Amer. sp. of, 266, 323; European and Asiatic sp. of, 268.
 Hind wings, shape, 3.
 History classification of *Ephemeridæ*, 18.
- Indian and Cingalese sp. of *Baëtis*, 171.
 Introductory Remarks, 1.
- Legs, peculiarities of, 8, 234, 236, 325.
- Nervures, fore wing, groups of, 5; hind wing, groups of, 6.
 North-Amer. sp. of *Baëtis*, 168; *Ecdyurus*, 278; *Heptagenia*, 266; *Rhithrogena*, 252; *Siphlorus*, 218.
 Nymph, habits of, 12; characters and peculiarities of, 13.
- Ocelli, size of, 3.
 Oviposition and the Egg, 11.
- Peculiarities, structural details, sexes, 3.
 Pseudimago, as a term, 17.
- Rhithrogena*, N.-Amer. sp. of, 252; European sp. of, 255.
- Siphlorus*, European sp., 216; N.-Amer. sp., 218.
 Structure, *Ephemeridæ* in general, 2.
 Subimago, term now used, 17.
 Systematic descrip. of genera and species, 22.
- Tabular classif. of genera, 21.
 Tabulation, gen. *Siphlorus* type, 200; generic identification adults, type of *Ecdyurus*, 236; Nymphs, type of *Baëtis*, 155; of *Ecdyurus*, 235; of *Ephemerella*, 123.
 Term Nymph, how employed, 12.
 Tracheal branchiæ, 15; respiration, other organs, 16.
- Wing-membrane, structure of, 3.
 Wing-neuration, 4.
- Young of *Ephemeridæ*, 12.

For the Alphabetical list of Genera and Species see pp. 348-352.

GENERA AND SPECIES.

Numbers in black type refer to the description of the genus or species. Synonyms are in italics.

Parallels || mark preoccupied names, the double dagger † names misapplied, and vincula [] palæontological names. These last are only inserted to record every name used in the Family.

Adenophlebia, 82, 111.

colombiæ, 110.

dislocans, 112.

Ameletus, 201, 210.

dissitus, 210.

exquisitus, 212.

inopinatus, 307.

subnotatus, 211.

Ametropus, 231.

fragilis, 231, 321.

Anagenesia (subgen.), 25.

Asthenopus, 40.

curtus, 40.

dorsalis, 41.

Atalophlebia, 82, 83.

annulata, 85.

australasica, 86.

australis, 86.

chilensis, 91.

costalis, 89.

dentata, 88.

fasciata, 84.

femoralis, 85.

furcifera, 87.

inconspicua, 87.

nodularis, 89.

scita, 90.

strigata, 88.

tabularis, 91.

Taprobanes, 85.

Atopopus, 232.

tarsalis, 232.

Baëtis, 155, 156.

† *Baëtis*, 18.

albivittata, 49.

albus (*alba*), 47.

alpinus, 166.

alternata, 219.

amnicus, 166.

angulata, 50.

angustipennis, 289.

|| *annulata*, 219.

[*anomala*, Pict. (1854)].

arida, 206.

atrebatinus, 164.

Baëtis

aurantiaca, 259.

australasica, 86.

autumnalis, 159.

basalis, 298.

Bellieri, 287.

bilineata, 50.

binoculatus, 158.

bioculata or *-us*, 158.

† *bioculata*, 168.

Bocagii, 162.

buceratus, 166.

canadensis, 278.

† *canadensis*, 297, 323.

cerea, 273.

cingulata, 116.

consuetus, 172.

costalis, 268.

|| *costalis*, 89.

† *culiciformis*, 161.

cyanops, 268.

|| *debilis*, 171, 253.

determinata, 233.

dispar, 284.

elegans, 268.

fallax, 293.

fasciatus, 197.

feminalis, 171.

femorata, 220.

† *femorata*, 219.

ferrugineus, 193.

finitimus, 165.

flaveola, 279.

flavescens, 158.

flavida, 216.

fluctuans, 193.

fluminum, 289.

forcipula, 286.

fusa, Walker for seq.

fusca, 104.

|| *fusca*, 252.

fuscata, 159.

|| *fuscata*, 129.

? || *fuscus*, 302.

gemellus, 163.

[*gigantea*, Hag. & Pict. (1856)].

Baëtis

[*grossa*, Hag. & Pict. (1856)].

guttata, 301.

Hageni, 169.

ignava, 101.

ignota, 205.

interlineata, 220.

interpunctata, 267.

† *interpunctata*, 299.

invaria, 129.

iridana, 302.

Krueperi, 281.

lateralis, 294.

† *lateralis*, 259.

longicauda, 273.

† *longicauda*, 284.

[*longipes*, Hag. (1854)].

luridipennis, 279.

lutea, 268.

luteolus, 175.

marginalis, 79, 268.

melanonyx, 165.

mellea, 79.

montana, 302.

† ? *montana*, 284.

niger (*nigra*), 167.

noveboracana, 280.

obesa, 228.

obscura, 126.

† *obscura*, 294.

phæops (*phæopa*), 161.

Picteti, 284.

pictus, 195.

posticatus, 169.

propinquus, 169.

pumilus, 166.

purpurascens, 284.

pygmæus, 170.

remota, 202.

reticulata, 94.

rhodani, 161.

† *rhodani*, var., 163.

rubescens, 169.

Salvini, 170.

sardoa, 293.

scambus, 160.

Baëtis

scita, 90.

semicolorata, 256.

semitincta, 256.

sicca, 208.

solidus, 172.

speciosus, 289.

Stelzneri, 171.

straminea, 268.

striata, 161.

subfusca, 284.

sulphurea, 268.

sylvicola, 322.

Taprobanes, 85.

tenax, 164.

tessellata, 280.

|| *tessellata*, 192.

torrida, 233.

undatus, 193.

unicolor, 169.

venosa, 282, 284.

venustulus, 160.

vernus (*verna*), 161.

verticis, 278.

vicaria, 280.

vitreatus, 302.

zebrata, 292.

Baëtisca, 226.

obesa, 228.

† *Binoculus foliaceus*, 150.

pennigerus, 150.

pisciforme, 150.

Blasturus, 82, 100.

concinus, 101.

cupidus, 101.

gravastellus, 102.

nebulosus, 103.

? *vespertinus*, 103.

Bleptus, 243.

fasciatus, 236, 243.

Brachycercus, 18.

chironomiformis, 144.

Harrisella, 146.

minima, 142.

Brachyphlebia, 19.

bioculata, 159.

- Cæneus*, Agassiz, Nomenclat., for *seq.*
Cænis, 141.
albida, 139. *ros*
amica, 147.
argentata, 146.
brevicauda, 143.
chironomiformis, 144.
cibaria, 148.
dimidiata, 142.
diminuta, 147.
discolor, 139.
grisea, 145.
halterata, 144.
‡ *halterata*, 146.
Harrisella, 146.
hilaris, 147.
interrupta, 144.
kungu, 148.
lactea, 143.
‡ *lactea*, 144.
lactella, 144.
luctuosa, 146.
macrura, 144.
maxima, 140.
nigra, Hag. MS.
oophora, 146.
pennata, 143.
perpusilla, 147.
rivulorum, 143.
robusta, 145.
sinensis, 189.
varicauda, 139.
Calliarceys, 83, 121.
‡ *Calliarceys* (provisional), 109, 110, 122.
humilis, 122.
lætus, 110.
mexicanus, 109.
Callibætis, 155, 191.
fasciatus, 197.
ferrugineus, 193.
Hageni, 192.
montanus, 196.
pictus, 195.
Sellacki, 198.
sp. — ?, 195.
undatus, 196.
Campsurus, 38.
albicans, 39.
albifilum, 39.
curtus, 40.
cuspidatus, 40.
decoloratus, 41.
dorsalis, 41.
Holmbergii, 303.
Campsurus
latipennis, 39.
Nappii, 304.
? *pusilla*, 47. *puncta*
quadridentatus, 40.
Wappæi, 303.
Centroptilum, 155, 174.
lacustre, 176.
litratum, 178.
luteolum, 175.
nemorale, 177.
pennulatum, 176.
Poëyi, 179.
pulchrum, 177.
stenopteryx, 178.
tenellum, 178.
Chelysentomon, 151.
pennigerum, 151.
Chirotonetes, 200, 203.
aridus, 206.
ignotus, 205.
intermedius, 207.
mancus, 206.
? *ornatus*, 208, 321.
siccus, 208.
Chloëon, 179.
dimidiatum, 188.
dipterum, 183.
Choroterpes, 83, 104.
lusitanica, 105.
Picteti, 105.
Cinygma, 247.
geminatum, 250.
integrum, 236, 248.
mimus, 249.
par, 249.
Cloë, 19.
affinis, 183.
albipennis, 175.
alpina, 166.
apicalis, 183.
autumnalis, 159.
bioculata, 159, 188.
brunnea, 294.
cingulata, 116.
cognata, 183.
consueta, 172.
dimidiata, 188.
diptera, 183.
‡ *diptera*, 168.
dubia, 190.
fasciata, 197.
ferruginea, 193.
fluctuans, 193.
fusca, 302.
fusca, 96.
Cloë
halterata, 175.
horaria, 143.
hyalinata, 175.
litura, 178.
Lorentzii, 197.
maderensis, 161.
marginalis, 161.
melanonyx, 165.
luteolum, 190.
mollis, 97.
|| *obscura*, 186.
ochracea, 175.
posticata, 169.
propinqua, 169.
pumila, 167.
‡ *pumila*, 159.
‡ *pumila*, 188.
pygmæa, 170.
quebecensis, 297.
rhodani, 161.
rubescens, 196.
Sellacki, 198.
Siewertii, 296.
signata, 108.
solida, 172.
Stelzneri, 171.
striata, 167.
subinfuscata, 188.
translucida, 175.
tristis, 135.
undata, 196.
‡ *undata*, 193.
|| *unicolor*, 169 [bis].
verna, 161.
vicina, 190.
‡ *vicina*, 169.
virgo, 183.
vitripennis, 297.
Vogleri, 296.
Cloëon, 155, 179.
albipenne, 175.
alpina, 166.
autumnalis, 159.
bimaculatum, 182.
bioculata, 159.
‡ *bioculatum (bioculata)*, 168, 175.
cingulata, 116.
cognatum, 183.
concinnum, 187.
consobrinum, 183.
‡ *culiciformis*, 94.
debilis, 171.
dimidiatum, 188.
‡ *dimidiatum*, 183.
Cloëon
halterata, 182.
discolor, 139.
? *dubium*, 190.
fasciata, 197.
fuscata, 96.
halterata, 175, 188.
hyalinatum, 175.
litura, 178.
marginale, 181.
marmoratum, 183.
melanonyx, 165.
mendax, 190.
obscurum, 183.
|| *obscurum*, 186.
ochraceum, 175.
? *Oldendorffii*, 191.
pallida, 183.
posticata, 169.
pumila, 188.
‡ *pumilum*, 159.
rhodani, 162.
rufulum, 188.
russulum, 188, 189.
simile, 186.
sinense, 189.
sp. —, 182.
striata, 167.
subinfuscatum, 188.
translucida, 175.
undata, 196.
verna, 161.
vicinum, 190.
virgo, 183.
vitripenne, 297.
Cloeopsis
diptera, 183.
‡ *diptera*, var., 188.
Coloburiscus [for *seq.*], 308.
[[*Coloburus*, 200, 201.
halenticus [for *seq.*], Pl. XIX.
halenticus, 203.
humeralis, 202.
Compsoneria, 275.
spectabilis, 275.
[Cronicus, Etn. (1871)].
[*anomalus*, Pict.].
Dipteromimus, 201 213.
tipuliformis, 213.
Ecdyonurus, 284.
Ecdyurus, 235, 276.
affinis, 293.

Ecdyurus

- annulifer, 293.
 Bellieri, 287.
 canadensis, 278.
 fallax, 293.
 fluminum, 236, 289.
 forcipula, 286.
 guttatus, 301.
 helveticus, 236, 282.
 insignis, 288.
 italicus, 236, 286.
 Krueperi, 281.
 lateralis, 294.
 luridipennis, 279.
 quæditor, 284, 286.
 venosus, 236, 283.
 verticis, 278.
 vicarius, 280.
 volitans, 291, 325.
 zebrata, 292.
 Zelleri, 286.
- Elassoneuria, 32.
 Trimeniana, 32.
- Epeorus, 235, 237.
 alpicola, 236, 239.
 assimilis, 236, 239.
 geminus, 236, 238,
 322.
 longimanus, 245.
 psi, 236, 242.
 sylvicola, 322.
 torrentium, 236, 241.
- Ephemera, 58.
 albicans, 39.
 || albipennis, 95.
 || albipennis, 142.
 † albipennis, 45.
 † albipennis, 104. ^{esp.} _{vesper}
 albipes, 178.
 angustipennis, 289.
 annulata, 183.
 apicalis, 126.
 atrostoma, 28.
 australis, 86.
 berlinensis, 283.
 bioculata, 158.
 † bioculata, 161.
 † bioculata, 188.
 † bioculata, 268.
 † bioculata, 289.
 brevicauda, 144.
 † brevicauda, 146.
 caudata, 175.
 [cellulosa, Hag. (1861)].
 chlorotica, 79.

Ephemera

- cincta, 95.
 citrina, 268.
 cognata, 61.
 colombica, 110.
 communis, 60.
 compar, 65.
 † culiciformis, 158.
 † culiciformis, 178.
 † culiciformis, 183.
 † culiciformis, 188.
 cupida, 101.
 danica, 61.
 † danica, 60.
 † danica, 63.
 decora, 67.
 † decora, 69.
 diaphana, 158.
 diluta, 126.
 diptera, 182.
 dislocans, 112.
 dispar, 94.
 dubia, 161.
 erythrothralma, 126.
 expectans, 72.
 fasciata, 72.
 ferruginea, 268.
 flava, 158.
 flaveola, 71.
 flavicans, 79.
 flavipennis, 273.
 flos-aquæ, 24.
 fuliginosa, 25.
 fusca, 116.
 † fusca, 126.
 fuscata, 158.
 fusco-grisea, 283.
 fuscata, 256.
 gemmata, 303.
 gigantea, 303.
 glaucops, 64.
 guttata, 301.
 guttulata, 66.
 † guttulata, 67.
 halterata, 144.
 † halterata, 95.
 hebes, 101.
 helvipes, 94.
 helvola, 268.
 hilaris, 147.
 hispanica, 62.
 Holmbergii, 303.
 horaria, 142.
 hyalina, 79.
 hyalinata, 95.

Ephemera

- ignita, 126.
 immaculata, 72.
 inanis, 95.
 japonica, 74.
 lactea, 142.
 leucophthalma, 268.
 limbata, 50.
 lineata, 63.
 longicauda, 24.
 lutea, 79.
 † lutea, 45.
 † lutea, 64.
 † lutea, 158.
 † lutea, 268.
 luteola, 175.
 maculata, 60. ^{L. 1747}
 † maculata, 61.
 marginata, 93.
 † marginata, 79.
 † marginata, 183.
 marocana, 45.
 minima, 142.
 minor, 116.
 [mortua, Hag. (1861)].
 mutica, 166.
 myops, 72.
 † myops, var., 66.
 natata, 67.
 nervosa, 283.
 nigra, 167.
 † nigra, 95.
 nigrimana, 283.
 notata, 158.
 noveboracana, 279.
 orientalis, 74.
 parvula, 178.
 plumosa, 142.
 [prisca, Hag. (1861)].
 procellaria, 93.
 [procera, Hag. (1861)].
 pudica, 280.
 reticulata, 79.
 rosea, 126.
 rufa, 283.
 rufescens, 126.
 rufula, 188.
 serica, 73.
 simulans, 67.
 † simulans, 66.
 speciosa, 289.
 stigma, 256.
 || stigma, 93.
 striata, 167.
 † striata, 158.

Ephemera

- † striata, 183.
 † striata, 188.
 submarginata, 94.
 sulphurea, 268.
 supposita, 72.
 Swammerdamiana, 24.
 Swammerdiana, 24.
 talcosa, 93.
 testacea, 161.
 varia, 69.
 venosa, 283.
 vespertina, 103.
 virgo, 45.
 viridescens, 93.
 vitrea, 302.
 vitripennis, 297.
 vulgata, 59.
 † vulgata, 61.
 † vulgata, 63, 188.
 Wappaei, 303.
- Ephemerada*, Fleming
 (1824).
- Ephemerella, 123, 124.
 ænea, 126.
 consimilis, 130.
 elongatula, 131.
 excrucians, 130.
 gibba, 126.
 grandis, 128.
 hispanica, 306.
 ignita, 126.
 inermis, 127.
 invaria, 129, 130.
 notata, 305.
 Walkeri, 129.
- Ephemeridæ*, Samouelle
 (1819).
- Ephemerides*, Leach
 (1815).
- Ephemerina*, Newman
 (1835).
- Ephemerites*, idem.
- Ephemerum*, 24, 45.
- Ephoron leukon*, 47.
- Eucharidis* Reaumuri,
 79.
- Euthyplocia, 36.
 anceps, 38.
 Hecuba, 37.
- Habrophlebia, 83, 114.
 fusca, 116.
 lauta, 120.
 mesoleuca, 120.

- Habrophlebia*
modesta, 118.
nervulosa, 117.
Picteti, 105.
umbratilis, 119.
Hagenulus, 83, 113.
caligatus, 113.
? sp. — (Four ♀ im.),
114.
Hemerobius, 24, 45.
Heptagenia, 235, 265.
alpicola, 239, 286.
angustipennis, 286.
annulifera, 293.
aurantiaca, 259.
basalis, 298.
Bellieri, 287.
borealis, 255.
brunnea, 218, 253.
cærulans, 270.
canadensis, 278.
cruentata, 300.
cupulata, 261.
determinata, 233.
elegans, 268.
flava, 270.
flaveola, 279.
flavescens, 266.
flavipennis, 273.
‡ *flavipennis*, 291.
fluminum, 289.
forcipula, 286.
fusca, 252.
gallica, 236, 272, 325.
gemmata, 303.
guttata, 301.
insignis, 288.
interpunctata, 267, 323.
iridana, 259, 302.
lateralis, 294.
longicauda, 284.
luridipennis, 280.
maculipennis, 301.
montana, 302.
nigrimana, 284.
nivata, 255.
obscura, 294.
Picteti, 284.
‡ *pudica*, 133, 280, 298.
pulchella, 299.
purpurascens, 284.
quebecensis, 297.
semicolorata, 256.
semitincta, 257.
simplex, 300.
- Heptagenia*
sulphurea, 236, 268.
sylicola, 322.
terminata, 299.
torrida, 233.
venosa, 284.
vicaria, 280.
vitrea, 254.
volitans, 273, 291, 292.
zebrata, 292, 293.
Hexagenia, 48.
albivitta, 49.
albivittata, 49.
? *atrostoma*, 28.
bilineata, 50.
decolorata, 41.
‡ *limbata*, 55.
mexicana, 50.
munda, 53.
variabilis, 55.
venusta, 54.
Homœoneuria, 35.
Salvinia, 36.
Iron, 235, 244.
longimanus, 236, 245.
nitidus, 236, 246.
Isonychia, 204.
ferruginea, 205.
ignota, 205.
manca, 206, 210.
Jolia, 42.
Ræseli, 43.
Ræselii, 43.
Lachlania, 34.
abnormis, 35.
lucida, 35.
Leptohyphes, 140.
eximius, 140.
Leptophlebia, 82, 91.
annulata, 85.
auriculata, 112.
australasica, 86.
australis, 86.
castanea, 95.
cincta, 95.
colombiæ, 110.
costalis, 89.
cupida, 101.
debilis, 98.
dentata, 88.
dislocans, 112.
elongatula, 131.
- Leptophlebia*
femorialis, 85.
fusca, 116.
furcifera, 87.
gregalis, 98.
helvipes, 94.
inconspicua, 87.
Krueperi, 281.
marginata, 93.
memorialis, 98.
mesoleuca, 120.
Meyeri, 95.
modesta, 118.
mollis, 97.
nebulosa, 103.
nodularis, 89.
|| *pallipes*, 98.
Picteti, 105.
? *præpedita*, 99.
[*prisca*, Etn. (1871)].
rufivenosa, 99.
scita, 190.
signata, 108.
strigata, 88.
submarginata, 94.
Taprobanes, 85.
tristis, 135.
vaciva, 97.
vespertina, 104.
Libella, 352.
‡ *Limulus pennigerus*, 151.
Macrocerus, 352.
Metamonius, 201, 208.
anceps, 209.
Oligoneuria, 29.
anomala, 30.
‡ *anomala*, 31.
garumnica, 31.
pallida, 31, 32.
rhenana, 31.
Trimeniana, 32.
Oniscigaster, 201, 223.
Wakefieldi, 224.
Oxycypha discolor, 139.
lactea, 143.
luctuosa, 146.
Oldendorfi, 191.
Pægniodes, 261.
cupulatus, 236, 261.
Palingenia, 23.
alba, 47.
albicans, 39.
- Palingenia*
albifilum, 39.
‡ *albifilum*, var., 40.
ampla, 26.
annulifera, 293.
? *atrostoma*, 28.
bicolor, 221.
bilineata, 50.
‡ *bilineata*, 55.
colombiæ, 110.
concinna, 101.
continua, 49.
curta, 40.
decolorata, 41.
dorsalis, 41.
dorsigera, 49.
flavescens, 266.
fuliginosa, 25.
[*gigas*, Hag. (1854)].
Hecuba, 37.
horaria, 45.
humeralis, 202.
indica, 47.
interpunctata, 267.
javanica, 27.
lata, 26.
latipennis, 39.
limbata, 50.
‡ *limbata*, 55.
longicauda, 24.
‡ *longicauda*, var., 43.
[*macrops*, Pict. (1854)].
Nappii, 304.
natata, 67.
nebulosa, 103.
occulta, 50.
pallipes, 101.
papuana, 27.
puella, 47.
pulchella, 299.
Savignyi, 46.
sibirica, 26.
tenera, 27.
terminata, 299.
tolosana, 43.
virgo, 45.
viridescens, 50.
vitrea, 254.
vittigera, 76.
Pentagenia, 75.
quadripunctata, 77.
vittigera, 76.
Polymitarceys, 43.
albus, 47.
indicus, 47.

- Polymitarchys*
Savignyi, 46.
virgo, 45, 46.
- Potamanthus*, 78.
æneus, 126.
annulatus, 85.
apicalis, 126.
brunneus, 116.
caligatus, 113.
castaneus, 95.
cinctus, 96.
‡ *cinctus*, 120.
concinus, 101.
costalis, 89.
cupidus, 101.
dilectus, 126.
dilutus, 126.
dispar, 94.
erythrocephalus^h, 126.
erythroptalmus, 126.
expectans, 72.
fasciatus, 72, 84.
femoralis, 85.
Ferreri, 80.
fuscus, 116.
Geerii, 94.
gibbus, 126.
‡ *halteratus*, 96.
helvipes, 94.
hyalinus, 96.
inanis, 96.
- Potamanthus*
|| *inanis*, 296.
Krueperi, 281.
luteus, 79.
marginatus, 93.
‡ *marginatus*, 105.
mesoleucus, 120.
minor, 116.
modestus, 118.
nebulosa, 103.
odonatus, 103.
[*priscus*, Pict. (1854)].
roseus, 126.
Siewertii, 296. ^h
stigma, 93.
submarginatus, 94.
talcosus, 93.
Vogleri, 296. ^h
- Prosopistoma*, 149.
foliaceum, 150.
punctifrons, 151.
variegatum, 152.
- Rhithrogena*, 235, 250.
alpestris, 255.
aurantiaca, 236, 259.
borealis, 255.
elegantula, 253.
germanica, 260.
Hageni, 253.
hybrida, 256.
- Rhithrogena*
jejuna, 252.
manifesta, 253.
nivata, 236, 255.
semicolorata, 236, 256.
semitincta, 257.
‡ *semitincta*, 255.
vitrea, 254.
- Rhoënanthus*, 81.
speciosus, 81.
- ‡ *Sembris*, 24.
‡ *marginata*, 24.
- Siphonurus*, for *seq.*
- Siphylurus*, 201, 214.
alternans [for *seq.*],
219.
alternatus, 219.
? *anceps*, 209.
annulatus, 219.
? *aridus*, 206.
armatus, 216.
bicolor, 221.
‡ *debilis*, 253.
femoratus, 220.
? ‡ *femoratus*, 211.
flavidus, 216.
lacustris, 217.
Linnæanus, 217.
mirus, 221.
occidentalis, 218.
- Siphylurus*
quebecensis, 297.
? *siccus*, 208.
sp. —, 223.
typicus, 222.
- Spaniophlebia*, 33.
pallipes, 34.
Trailiæ, 33.
- Teloganodes*, 134.
major, 136.
tristis, 135.
- Thalerosphyrus*, 232.
determinatus, 233.
torridus, 233.
- Thraulius*, 83, 106.
bellus, 107.
colombiæ, 110.
exiguus, 108.
lætus, 110.
lepidus, 109.
mexicanus, 109.
signatus, 108.
sp. ? — (nos. 32 & 37,
Ceylon), 108.
sp. — (Costa Rica), 109.
vitripennis, 297.
- Tricorythus*, 138.
discolor, 139.
? *sp.* — (nymph), 140.
varicauda, 139.