

Reprinted from *The Florida Entomologist*, Volume 62, Number 4, December 1979.

DESIGNATION OF TYPE SPECIES FOR 2 GENERA OF SIPHLONURINAE (EPHEMEROPTERA: SIPHLONURIDAE)¹—(Note). Two genera of Ephemeroptera established by Bengtsson (1909. Lunds Univ. Arsskr., N.F., Åfd. 2, 5(4): 1-19), *Potameis* and *Siphlorella*, have had no type species designated for them. These are the only known genera of mayflies established before 1931 which lack type species; the International Code of Zoological Nomenclature does not recognize the validity of genera established after 1930 without a designated type species. In this note I designate type species for both genera.

Siphlorella Bengtsson, 1909: 11 (type species by present designation: *Siphlorella thomsoni* Bengtsson [= *Siphonurus* (*Siphlorella*) *linnaeanus* (Eaton)]). *Siphlorella* has most recently been treated as a subgenus of *Siphonurus* by Jacob (1974. Ent. Nachr. 18: 1-7).

Potameis Bengtsson, 1909: 13 (type species by present designation: *Potameis elegans* Bengtsson [= *Parameletus chelifer* Bengtsson]). *Potameis* is a synonym of *Parameletus* Bengtsson (Hubbard 1977. Proc. Ent. Soc. Wash. 79: 409-10).—MICHAEL D. HUBBARD, Laboratory of Aquatic Entomology, Florida A&M University, Tallahassee, FL 32307.