


Q



- Quadra Malloch 1929, Proc. Linn. Soc. N.S. Wales, 54, 320.—Dipt.
 Quadragnostus Howell 1935, J. Paleont., 9, 219.—Trilobita.
 Quadralaria Weill 1935, Bull. Soc. zool. France, 60, 371.—Coel.
 Quadrans (ex Klein) Bertin 1878, N. Arch. Mus. Paris, (2) 1, 265.—Moll.
 Quadrarius Jordan 1907, Proc. U.S. nat. Mus., 32, no. 1523, 236.—Pisces.
 Quadrasia Crosse 1886, J. Conchyliol., Paris, 34, 159.—Moll.
 Quadrasiella Moellendorff 1894, NachrBl. dtsh. malak. Ges., 26, 38.—Moll.
 Quadraspidiotus Macgillivray 1921, The Coccidae, 388.—Hem.
 Quadraster Perrier 1896, Résult. Camp. sci. Monaco, 11, 27.—Echin.
 Quadrastichodella Girault 1913, Trans. Proc. roy. Soc. S. Australia, 37, 69.—Hym.
 Quadrastichodes Girault 1913, Trans. Proc. roy. Soc. S. Australia, 37, 68.—Hym.
 Quadraticus Girault 1913, Trans. Proc. roy. Soc. S. Australia, 37, 67.—Hym.
 Quadraticephalus Sun 1925, Palaeont. sinica, (B) 1 (4), 61.—Trilobita.
 Quadratrhyndia Buckman 1914, Gen. Jurass. Brachiop., 1 [n.n.]; 1917, Pal. Indica, 3 (2) 42.—Brach.
 Quadratosoma Townsend 1914, Insec. Inscit. menst., 2, 153.—Dipt.
 Quadratotrigonia Dietrich 1933, S.B. Ges. naturf. Freunde Berlin, 1933, 330.—Moll.
 Quadratula Herrmannsen 1848, Indicis Gen. Malac. Primord., 2, 383.—Moll.
 Quadrella Herrmannsen 1848, Indicis Gen. Malac. Primord., 2, 384.—Moll.
 Quadrella Dana 1851, Amer. J. Sci., (2) 12, 128; 1852, Proc. Acad. nat. Sci. Philad., 6, 84.—Crust.
 Quadribola Czerniavsky 1880, Trudy Russ. ent. Obschtsch. St. Petersburg, 11 (2), 90.—Crust.
 Quadricalcarifera Strand 1916, Arch. Naturgesch., 81, A2, 1915, 160.—Lep.
 Quadricellaria d'Orbigny 1851, Ann. Sci. nat., (3) Zool., 16, 336; 1851, Paléont. franç., Terr. créét., 5, Bry., 32.—Bry.
 Quadricellaria Sars [non d'Orbigny 1851] 1862, Förh. Vidensk. Selsk. Christiania, 1862, 152; 1863, Beskr. Norske Poly.—Bry.
 Quadricomma Filipjev 1923, Acta Inst. Agronom., 1, no. 16, 152.—Verm. (Nema.).
 Quadridentiana Caziot 1910, Etude Moll. Princip. Monaco, 536.—Moll.
 Quadrifarius Fuchs 1929, Jahrb. preuss. geol. Landesanst., 50 (1), 194.—Brach.
 Quadrifrons Blatchley 1916, Canad. Ent., 48, 92.—Col.
 Quadrigana Davis 1897, Trans. Amer. ent. Soc., 24, 266, 280.—Hym.
 Quadrigyrus Van Cleave 1920, Proc. U.S. nat. Mus., 58, 459.—Verm. (Acanth.).
 Quadrilatera Sandberger 1863, Conch. Mainzer Tertiärbeckens, 354.—Moll.
 Quadriloncharium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 776.—Prot.
 Quadrilonche Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 776.—Prot.
 Quadrilonchidium Haeckel 1887, Rep. Voy. Challenger Exped., Zool., 18 (1), 777.—Prot.
 Quadrimetron Popofsky 1904, Ergeb. Plankton-Exped., 3, L.f.a., 64.—Prot.
 Quadrina Grote 1881, Papilio, 1, 175.—Lep.
 Quadrinarea Goding 1927, J.N. York ent. Soc., 35, 167.—Hem.
 Quadrinervus Cossmann 1904, Essais Paléoconch. comp., 6, 61.—Moll.
 Quadriodon (pro *Quatr-* Ameghino 1881) Trouessart 1898, Cat. Mamm., (n.ed.) 2, 1115.—Mamm.
 Quadruplicata Boettger 1878, Ber. Offenb. Ver., 17—18, 63.—Moll.
 Quadriscopta Fitzinger 1869, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 59 (1), 167.—Mamm.
 Quadristaurus Popofsky 1904, Ergeb. Plankton-Exped., 3, L.f.a., 90.—Prot.
 Quadrivisio Stebbing 1907, Rec. Indian Mus., 1, 159.—Crust.
 Quadropedia Aldrich & Jones 1930, Mus. Pap. Alabama Mus. nat. Hist., No. 9, 53.—Rept.
 Quadrula Rafinesque 1820, Ann. gén. Sci. Phys. (Bruxelles), 5, 305.—Moll.
 Quadrula Schulze 1875, Arch. mikr. Anat., 11, 329, 330.—Prot. (See *Quadrulella* Cockerell 1909.)
 Quadrula Pandellé 1898, Rev. Ent. franç., 17, 51.—Dipt.
 Quadrulella (n.n. pro *Quadrula* Schulze 1875) Cockerell 1909, Zool. Anz., 34, 565.—Prot.
 Quadrulina Cushman & Ozawa 1930, Proc. U.S. nat. Mus., 77, No. 2829, 18.—Prot.
 Quadruplograpsus Haupt 1878, N. Lausitz. Mag., 54, 51.—Coel.
 Quadrus Lindsey 1925, Ann. ent. Soc. Amer., 18, 99.—Lep.
 Quaesita Jordan & Gilbert 1919, Stanford Univ. Publ., 1919, 31.—Pisces.

- Quaesticulus Schaufuss 1861, Ent. Ztg., Stettin, 22, 426.—Col.
 Quaestiplax Iredale & Hull 1929, Australian Zool., 6, 90.—Moll.
 Quaestus Schaufuss 1861, Ent. Ztg., Stettin, 22, 424.—Col.
 Quaintancius Bondar 1923, Aleurod. Braz., 27.—Hem.
 Qualetta Sjoestedt 1921, K. svenska VetenskAkad. Handl., 62, no. 3, 51, 56.—Orth.
 Quarelia Martynov 1913, Isw. Univ. Warschawa, 1913, 57.—Trichopt.
 Quarequa Hebard 1928, Trans. Amer. ent. Soc., 54, 245.—Orth.
 Quaria Milne 1934, Stud. N. Amer. Trichopt., 1.—Trichopt.
 Quartinia (Gribodo MS.) André 1884, Spec. Hym. Eur., 2, 822.—Hym.
 Quartiniella Schulthess 1929, Ann. Mag. nat. Hist., (10) 3, 510.—Hym.
 Quasifusulina Chen 1934, Acad. Sinica Monog. (Fusulin. S. China), Nat. Res. Inst. Geol. (A) 5, 1.—Prot.
 Quasillagilis Busch 1920, Arch. Protistenk., 40, 221.—Prot.
 Quasillina Norman 1869, Rep. Brit. Ass., 38, 1868, 329.—Spong.
 Quasilucina Stewart 1930, Spec. Pub. Acad. nat. Sci. Philadelphia, No. 3, 38.—Moll.
 Quasimus Des Gozis 1886, Recherche l'espèce typique . . . , 22.—Col.
 Quasistegomyia Theobald 1906, Rep. Wellcome Res. Laborat. Khartoum, 2, 69.—Dipt.
 Quasistrongylus Maplestone 1932, Rec. Indian Mus., 34, 235, 237.—Verm. (Nema.).
 Quasithelazia Maplestone 1932, Rec. Indian Mus., 34, 233, 235.—Verm. (Nema.).
 Quassilabia Jordan & Brayton 1878, in Jordan, Man. Vert., ed. 2, 406.—Pisces.
 Quassilina (pro *-sillina* Norman 1869) Lankester 1882, Nature, 26, 478.—Spong.
 Quassiremus Jordan & Davis 1892, Rep. U.S. Comm. Fish., 16, 1888-89, 622.—Pisces.
 Quatrefoagea Diesing 1862, S.B. Akad. Wiss. Wien, Math.-naturw. Cl., 45 (1), 203.—Verm. (? Nemert.).
 Quatriodon Ameghino 1881, Antig. Hom. Plata, 2, 307.—Mamm.
 Quaxotus Rafinesque 1815, Analyse, 65 [*n.n.*].—Aves.
 Quaylea Timberlake 1919, Proc. Hawaii. ent. Soc., 4, 214.—Hym.
 Quebecia Walcott 1905, Proc. U.S. nat. Mus., 28, no. 1395, 320.—Brach.
 Quebecoceras Foerste 1925, Denison Univ. Bull., 25, no. 3 (J. Sci. Lab., 21), 11.—Moll.
 Quechua Strebel 1910, Abh. naturh. Ver. Hamburg, 19 (3), 17.—Moll.
 Quechua Michaelsen 1923, Göteborg. VetenskSamh., (4) 27 (6), 6.—Verm. (Oligoch.).
 Quechuella Chamberlin 1917, Bull. Mus. comp. Zool. Harvard, 60, 274.—Arachn.
 Queda Sharp 1882, Trans. R. Dublin Soc., (2) 2, 336.—Col.
 Quedara Swinhoe 1919, Ann. Mag. nat. Hist., (9) 3, 316.—Lep.
 Quedenfeldtia Boettger 1883, Abh. Senckenb. Ges., 13, 126.—Rept.
 Quediellus Casey 1915, Mem. Col., 6, 398, 402.—Col.
 Quediochrus Casey 1915, Mem. Col., 6, 398, 420.—Col.
 Quediomacrus Sharp 1884, Biol. Centr. Amer., Zool., Col., 1 (2), 339.—Col.
 Quedionuchus Sharp 1884, Biol. Centr. Amer., Zool., Col., 1 (2), 336.—Col.
 Quediopsis Fauvel 1878, Ann. Mus. Stor. nat. Genova, 13, 560.—Col.
 Quediopsis Portevin [non Fauvel 1878] 1929, Encycl. Ent., Sér. A, 12, 337.—Col.
 Quediosoma Cameron 1925, Trans. ent. Soc. London, 1925, 366.—Col.
 Quedius Stephens 1829, Nom. Brit. Ins., 22 [*n.n.*]; 1832, Ill. Brit. Ent. (Mand. 5), 215.—Col.
 Queenslandemus Verhoeff 1924, Ark. Zool., 16, no. 5, 36.—Myr.
 Queenslandica Lea 1903, Proc. Linn. Soc. N.S. Wales, 28, 664.—Col.
 Queenslandobolus Verhoeff 1924, Ark. Zool., 16, no. 5, 102.—Myr.
 Queenslandophilus Verhoeff 1925, Ark. Zool., 17, no. 3, 49.—Myr.
 Quekettia Peckham 1902, Psyche, 9, 333.—Arachn.
 Quelea Reichenbach (1850), Avium Syst. Nat., pl. lxxvi; 1850, in Bonaparte, Consp. gen. Avium, 445.—Aves.
 Quemisia Miller 1929, Smithsonian. misc. Coll., 81, no. 9, 22.—Mamm.
 Quenselia Jordan & Goss 1889, Rep. U.S. Comm. Fish., 14, 1886, 306.—Pisces.
 Quenstediceras (err. pro *-stedticeras* Parona & Bonarelli 1897) Buckman 1922, Type Ammonites, 4, pt. 35, no. 339.—Moll.
 Quenstediceras Hyatt 1876, Proc. Boston Soc. nat. Hist., 18, 390.—Moll.
 Quenstedtia Morris & Lycett 1853-54 (Pal. Soc. Monogr.) Moll. Great Oolite, No. 2, 96.—Moll.
 Quenstedtia Rominger 1876, Geol. Surv. Michigan, 3 (2), 71.—Coel. (See *Romingeria* Nicholson 1879.)
 Quenstedticeras (emend. pro *-dioceras* Hyatt 1876) Parona & Bonarelli 1897, Mém. Acad. Savoie, (4) 6, 125.—Moll.
 Quenstedtoceras (emend. pro *-dioceras* Hyatt 1876) Hyatt 1900, in Eastman-Zittel, Text-Book Palaeont., 1, 580.—Moll.
 Quentalia Schaus 1929, in Seitz, Gross-Schmett. Erde, 6, 681.—Lep.
 Quercetanus Distant 1904, Fauna Brit. Ind., Rhynch., 2, 310.—Hem.
 Querceticoccus Lindinger 1933, Ent. Anz., 13, 117.—Hem.
 Quercivir Lameere 1912, Mém. Soc. ent. Belgique, 21, 37.—Col.

- Quercyrallus* Lambrecht 1933, *Palaeorn.*, 461.—Aves.
Quercytherium Filhol 1880, *C.R. Acad. Sci. Paris*, 90, 1579.—Mamm.
Querelea Reichenbach [1852], *Av. Syst.*, xxvii.—Aves.
Queriblennius Whitley 1933, *Rec. Australian Mus.*, 19, 93.—Pisces.
Querigalaxias Whitley 1935, *Victorian Nat.*, 52, pl. 3, fig. 9.—Pisces.
Querilhacia Roewer 1935, *Arch. Zool. exp. gén. Paris*, 78, 12, 38.—Arachn.
Querimana Jordan 1883, *Proc. U.S. nat. Mus.*, 5, 588.—Pisces.
Querquedula Oken 1817, *Isis*, 1817, 1, col. 1183 [*n.n.*]; Stephens 1824, in Shaw, *Gen. Zool. (Aves)*, 12 (2), 142.—Aves.
Querula Vieillot 1816, *Analyse*, 37.—Aves.
Quesada Distant 1905, *Ann. Mag. nat. Hist.*, (7) 15, 478.—Hem.
Questimya Iredale 1930, *Rec. Australian Mus.*, 17, 389.—Moll.
Questopogon Dakin & Fordham 1922, *Ann. Mag. nat. Hist.*, (9) 10, 525.—Dipt.
Quetieria Viguiet 1911, *Ann. Sci. nat. Paris, Zool.*, (9) 13, 252.—Verm. (Polych.).
Quettania Schwarzer 1931, *Senckenbergiana*, 13, 62.—Col.
Quibulla Iredale 1929, *Australian Zool.*, 5, 349.—Moll.
Quichuana Knab 1913, *Insec. Inscit. menst.*, 1, 13.—Dipt.
Quidna Roewer 1915, *Arch. Naturgesch.*, 80, 9, 112.—Arachn.
Quidnigapug Iredale 1929, *Mem. Queensland Mus.*, 9, 266.—Moll.
Quietula Jordan & Evermann 1895, in Jordan & Starks, *Proc. Calif. Acad. Sci.*, (2) 5, 839.—Pisces.
Quilnus Stål 1873, *K. svenska VetenskAkad. Handl.*, (N.F.) 11, no. 2, 137.—Hem.
Quilonia Lane 1914, *Ind. J. med. Res.*, 2, 391.—Verm. (Nema.).
Quilta Stål 1860, *Eugenics Resa, Zool.*, 1, 337.—Orth.
Quimalanca Thomson 1868, *Physis, Paris*, 2, pt. 3, 174.—Col.
Quimalea Iredale 1929, *Australian Zool.*, 5, 345.—Moll.
Quimbaya Michaelsen 1935, *Capita zool.*, 6 (2), 11.—Verm. (Oligoch.).
Quimperia Gendre 1926, *Bull. Soc. Path. exot.*, 19, 798.—Verm. (Nema.).
Quinaster Doederlein 1920, *Siboga Exped., Monogr.*, 46 (B), 217.—Echin.
Quincuncia Gilbert & Hubbs 1920, *Bull. U.S. nat. Mus.*, No. 100 (1), 369, 425, 432.—Pisces.
Quincuncina Ortmann 1922, in Ortmann & Walker, *Nautilus*, 36, 1.—Moll.
Quindina (emend. pro *quid-* Roewer 1915) Roewer 1923, *Weberknechte der Erde*, 564.—Arachn.
Quinquarius Jordan 1907, *Proc. U.S. nat. Mus.*, 32, 236, 238.—Pisces.
Quinquatrus Distant 1916, *Fauna Brit. Ind., Rhynch.*, 6, 197.—Hem.
Quinqueloculina d'Orbigny 1826, *Ann. Sci. Nat.*, 7 (27), 301.—Prot.
Quinqueserialis Skwortzow 1934, *Rev. Microbiol. Epidemiol. Parasit., Saratov*, 13, 317.—Verm. (Trem.).
Quinssyana Distant 1913, *Trans. Linn. Soc. London*, (2) *Zool.*, 16, 167.—Hem.
Quintalia Preston 1913, *Ann. Mag. nat. Hist.*, (8) 12, 527.—Moll.
Quintana Hubbs 1934, *Occ. Pap. Mus. Zool. Univ. Michigan*, No. 301, 2.—Pisces.
Quintanus Wilson 1932, *Bull. U.S. nat. Mus.*, No. 158, 258.—Crust.
Quintilia Stål 1866, *Hem. Afric.*, 4, 28.—Hem.
Quintius Stål 1865, *Ann. Soc. ent. France*, (4) 5, 177.—Hem.
Quippelachnus Oestlund 1923, *Ann. Rep. State Ent. Minnesota*, 19, 1922, 134.—Hem.
Quirinus (Chevolat MS.) Dejean 1835, *Catal. Coléopt.*, ed. 2, 439 [*n.n.*]; Thomson 1857, *Arch. ent. Paris*, 1, 157.—Col.
Quirogesia Bolivar 1886, *An. Soc. españ. Hist. nat.*, 15, 515.—Orth.
Quironia Clark 1934, *Smithson. misc. Coll.*, 91, 1.—Echin.
Quirosia Kirkaldy 1907, *Bull. Hawaii. exp. Sta., Div. Ent.*, No. 3, 114.—Hem.
Quiscalia Lichtenstein (1819), *Abh. preuss. Akad. Wiss.*, 1816-1817, 151.—Aves.
Quiscalis (pro *Sturnus* L. 1758) Rafinesque 1815, *Analyse*, 68.—Aves.
Quiscalus Vieillot 1816, *Analyse*, 36.—Aves.
Quiscula (pro *-cala* Lichtenstein 1819) Schinz 1821, in Schinz-Cuvier, *Thierr.*, 1, 538.—Aves.
Quisculus (pro *-calus* Vieillot 1816) Vigors 1828, *Zool. J.*, 3, 442.—Aves.
Quisquala (pro *-scala* Lichtenstein 1819) Burmeister 1840, in Ersch & Gruber, *Enc.*, Sect. 3, 13, 144.—Aves.
Quisqualis (pro *Quiscalus* Vieillot 1816) Bonaparte 1830, *Ann. Stor. nat.*, 4, 206.—Aves.
Quisqualus (pro *Quiscalus* Vieillot 1816) Burmeister 1850, *Verz. Mus. Halle-Wittenb.*, 33.—Aves.
Quisque Jordan 1920, *Stanford Univ. Publ., Univ. Ser. [Genera Fish.]*, 4], 571.—Pisces.
Quisquilius Jordan & Evermann 1903, *Bull. U.S. Fish Comm.*, 22, 1902, 203.—Pisces.
Quitus Hebard 1924, *Proc. Acad. nat. Sci. Philadelphia*, 76, 182.—Orth.
Quiva Hebard 1927, *Trans. Amer. ent. Soc.*, 52, 276.—Orth.
Quoiechia Crickmay 1930, *Bull. Canad. Dep. Mines*, 63, 51.—Moll.
Quoya (pro *-yia* Gray 1839) Deshayes 1843, in Lamarck, *Hist. An. s. Vert.*, ed. 2, 9, 236.—Moll.

- Quoya Agassiz 1862, Contr. nat. Hist. Amer., 4, 173.—Coel.
 Quoya Labbé [non Deshayes 1843] 1934, Ann. Inst. Océanogr., 14, 187, 202, 216.—Moll.
 Quoyia Gray 1839, in Beechey, Zool. "Blossom," 125.—Moll.
 Quoyornis Mathews 1912, Austral Avian Rec., 1, 111.—Aves.
 Quoyula Iredale 1912, Proc. malac. Soc. London, 10, 221.—Moll.

R

- Ra (n.n. pro *Ichthyoborus* Guenther 1864) Whitley 1931, Australian Zool., 6, 334.—Pisces.
 Ra- see also Rha-
 Raapia Fleutiaux 1899, Ann. Mus. Stor. nat. Genova, 39, 569.—Col.
 Raatzbrockmannia Schmidt 1924, Ent. Mitt., 13, 107.—Hem.
 Rabdacanthus Pander 1856, Monogr. foss. Fische silur. Syst. russ.-balt. Gouv. 69.—Pisces.
 Rabdagaster (pro *Rhabdogaster* Metschnikoff 1867) Greeff 1869, Arch. Naturgesch., 35 (1), 116.—Verm. (Nema).
 Rabdastrea Étallon 1859, Étud. pal. Haut-Jura, 2, 499.—Coel.
 Rabbidnites Dawson 1873, Amer. J. Sci., (3) 5, 20.—Inc. sed.
 Rabbiodon Ameghino 1882, Cat. Buenos Aires Expos. [n.n.]; 1889, Act. Acad. Córdoba, 6, 732.—Mamm.
 Rabbiolepis Emmons 1857, Amer. Geol., 6, 45.—Pisces.
 Rabbion Duméril 1853, Mém. Acad. France, 23, 441.—Rept.
 Rabbocidaris see Rhabdocidarid.
 Rabbococoncha Gemmellaro 1878, Giorn. Sci. nat. Econ. Palermo, 13, 134.—Moll.
 Rabdogale see Rhabdogale.
 Rabdogaster see Rhabdogaster.
 Rabdoglaux Bonaparte 1854, Ann. Sci. nat. Paris, Zool., (4) 1, 112 [n.n.]; (as *Rhabdogloux*) 1854, Rev. Mag. Zool., (2) 6, 543.—Aves.
 Rabdoloma (err. pro *Rhabdoloma* Obenberger 1924) Théry 1925, Bull. Soc. ent. France, 1925, 225.—Col.
 Rabdophaga see Rhabdophaga.
 Rabdophorus Swainson 1839, N.H. Fishes, etc., 2, 170, 211.—Pisces.
 Rabdophyllia see Rhabdophyllia.
 Rabdosia see Rhabdosia.
 Rabdosoma Duméril 1853, Mém. Acad. France, 23, 440.—Rept.
 Rabdostigma Quaintance & Baker 1917, Proc. U.S. nat. Mus., 51, no. 2156, 406, 425.—Hem.
 Rabdota Dejean 1833, Catal. Coléopt., ed. 2, 100 [n.n.].—Col.
 Rabdotorhinus Desbrochers [?1894], Frelon, 3, 1893, 82.—Col.
 Rabdotos Albers 1850, Die Heliceen, 164.—Moll.
 Rabduchopetalum Verhoeff 1900, Zool. Jahrb., Syst., 13, 49.—Myr.
 Rabduchus Buckton 1903, Monogr. Membr., 251 (as *Rabducus* p. 293).—Hem.
 Rabducus see Rabduchus.
 Rabicea Gray 1857, Guide Syst. Distrib. Moll. Brit. Mus., 37.—Moll.
 Rabida Jordan & Evermann 1896, Bull. U.S. nat. Mus., No. 47 (1), 145, 146.—Pisces.
 Rabienus Gray 1821, London Med. Repos., 15, 299.—Mamm.
 Rabigus Mulsant & Rey 1876, Ann. Soc. Agric. Lyon, (4) 8, 523.—Col.
 Rabila Walker 1865, List Specimens Lep. Ins. Brit. Mus., 32, 507.—Lep.
 Rabilirubia Jordan & Fesler 1893, Rep. U.S. Comm. Fish., 17, 1889-91, 438.—Pisces.
 Rabocerus Mulsant & Rey 1859, Ann. Soc. linn. Lyon, 6, 91; 1859, Hist. nat. Col. Fr., Rostrifères, 43.—Col.
 Rabocha Melichar 1923, Gen. Insect., 182, 109.—Hem.
 Rabopus (err. pro *Robo-* Motschoulsky 1853) Motschoulsky 1854, Études ent., 2, 42.—Col.
 Rabtala Draeseke 1926, Dtsch. ent. Z., Iris, 40, 105.—Lep.
 Rabula Jordan & Davis 1892, Rep. U.S. Comm. Fish., 16, 1888-89, 590.—Pisces.
 Rabula Péringuey 1902, Trans. S. Afr. phil. Soc., 12, 870, 886.—Col.
 Rabyxis Raffray 1890, Rev. Ent. franç., 19, 119, 124.—Col.
 Racama Gray 1840, List Gen. Birds, 1.—Aves.
 Racasta Walker 1861, List Specimens Lep. Ins. Brit. Mus., 23, 830.—Lep.
 Racelda Signoret 1864, Ann. Soc. ent. France, (4) 3 (1863), 579.—Hem.
 Raceloma Thomson 1877, Ann. Soc. ent. France, (5) 7, Bull., cxiii.—Col.
 Racemides (pro *Racemis* Chiaje 1830) Agassiz 1842, Nom. Zool. (Acal.), 6.—Coel.
 Racemis Chiaje [1830], Mem. An. s. vert. Napoli, 4, 1829, 30.—Coel.
 Racemulina Étallon 1863, in Thurmann & Étallon, Lethaea Bruntrutana, (3) 413.—Prot.