

LAUTERBORNIA

Zeitschrift für Faunistik und Floristik des Süßwassers

Heft 15

Inhalt

NESEMANN, H.: Die Fischegel der Gattung <i>Cystobranchus</i> DIESING 1859 (Hirudinea, Piscicolidae) im Donaugebiet	1
BÄTKE, J.: Die Verbreitung von <i>Corbicula fluminalis</i> (O. F. MÜLLER 1774) (Bivalvia, Corbiculidae) in der Weser	17
WEINZIERL, A. & G. SEITZ <i>Dendrocoelum romanodanubiale</i> (CODREANU 1949) in der oberen Donau (Turbellaria, Tricladida)	23
MOOG, O., M. KONAR & U. H. HUMPECH: The macrozoobenthos of the River Danube in Austria	25
SCHERZ, P., H. MAUCKY & W. WICHARD: <i>Ecnomus deceptor</i> McLACHLAN 1884 neu für Deutschland (Trichoptera, Ecnomidae)	53
NESEMANN, H.: Die Subspezies von <i>Unk> crassus</i> PHIUPSSON 1788 im Einzugs- gebiet der mittleren Donau (Mollusca: Bivalvia, Unionidae)	59
FAASCH, H.: <i>Metreletus balcanicus</i> (ULMER 1920) (Ephemeroptera, Siphonuridae) auch in Ostniedersachsen	79
HUTTER, G. & W. GRAF: Wiederfund von <i>Ephemera glaucops</i> PICTET 1843-1845 in Österreich	81
RUSSEV, B. & Y. VIDINOVA: New representatives of the order Ephemeroptera (Insecta) for the fauna of Bulgaria	85
BORCHERDING, J., T. BECKER, A. SCHLEGEL & A. KURECK: Beitrag zur Kenntnis der Odonatenfauna der Donauauen bei Stopfenreuth (Niederösterreich)	89
SCHADL, G. & J. REPA: Entdeckung des Strebers (<i>Aspro streber</i> SIEBOLD 1863) (Pisces, Percidae) in der Unteren liier	95
SEITZ, G.: Neue und bemerkenswerte Kriebelmückenfunde (Diptera: Simuliidae) für die deutsche Fauna	101
Fortsetzung des Inhalts: nächste Umschlagseite	

D-86424 Dinkelscherben, März 1994

*Lauterbornia*H. 15: 85-87, Dinkelscherben, März 1994

New representatives of the order Ephemeroptera (Insects) for the fauna of Bulgaria

[Neue Vertreter der Ephemeroptera (Insecta) aus Bulgarien]

Boris Russev and Yanka Vidinova

With 3 figures

Schlagwörter: Oligoneuriella, Rhithrogena, Ephemeroptera, Insecta, Bulgarien, Faunistik

The larvae of three **species of mayflies** (*Oligoneuriella polonica*, *Rhithrogena carpatoalpina* and *R. savoienensis*) are reported, which are new for the fauna of Bulgaria.

In the generalizing work of RUSSEV (1993) 102 taxa of Ephemeroptera are reported, known till now for Bulgaria, 27 of them as larva and imago, 12 as imago and 64 as larva; 99 are classified to species, 2 to variety and 1 to genus. Subject of this report are the larvae of three species, recently ascertained in Bulgaria, identified by the keys of STUDEMANN & al. (1992) and other special publications.

Oligoneuriella poionica MOL 1984

Syn. *Oligoneuriella pallida* SOWA 1973 (nee HAGEN 1855)

The species were ascertained in Poland, Hungary and the Netherland. In Bulgaria it was found in the Danube river near the village of Krivina (Danube-km 536) on 05.06.1960; in right affluents of the Danube: Vit river at 10 km above Pleven and in Yantra river above Veliko Tarnovo, at the village of Karantsi and Byala. After 1965 the species has not been recorded. Typical features of our nymphs (Fig. 1) correspond to those described by SOWA (1973).

Rhithrogena carpatoalpina KLONOWSKA, OLECHOWSKA, SARTORI & WEICHELBAUMER 1987

By the authors the species was found in Poland, Switzerland and Austria. In Bulgaria it was found on 15.06.1972 in the Balkan Mountains in Malak Iskar river below the springs (Fig. 2).

Rhithrogena savoienensis ALBA-TERCEDOR & SOWA 1987

The authors mention the spreading of the species in France and Poland. In Bulgaria it was found in Lom river below the village of Byalo pole, in Bebresh river (left affluent of Malak Iskar river) upstream the confluence with Stara river, Iskar river above Samokov, Gradevska river below Predela, Luda Kamchia river after joining Kotlenska river and Veleka river below the village of Gramatikovo. Larvae resemble those of *R. thracica* SOWA, SOLDAN & BRAASCH 1988,

however the lacinia of our specimens have 5-6 minute teeth (Fig. 3), not 8-9 as *R. thracica* (specimens of that species also at our disposal).




Fig. 1: *Oligoneuriella polonica*. a = lamella of 1st gill, b = lamella of 7th gill




Fig. 2: *Rhhmgena carpatoalpina*. a and b = 1st and 7th gill, c = spines from dorsal surface hind femora, d = tarsal claw, e = fragment of abdominal tergite




Fig. 3: *Rhithrogena savoiensis*. a = 1st gill, b = 7th gill, c = fragment of caudal filament, d = labrum, e — 5th comb-shaped bristle from maxillary lacinia

References

- KLONOWSKA, M., M. OLECHOWSKA, M. SARTORI & P. WEICHELBAUMER (1987): *Rhithrogena carpatoalpina* sp. n., du groupe *semicolorata* (Ephemeroptera, Heptageniidae) d'Europe centrale.- Bull. Soc. Vaud. Sc. Nat. 78:445-454.
- MOL, A. (1984): *Oligoneunella polonica* n. sp., and a note on *O. pallida* (Hagen, 1855) (Ephemeroptera: Oligoneuriidae).- Entom. Ber. 44:126-128.
- RUSSEV, B. (1993): Review of literature and established mayfly species (Ephemeroptera, Insecta) from Bulgaria.- Lauterbornia 14: 71-77, Dinkelscherben.
- SOWA, R. (1973): Contribution a l'etude des Oligoneuriella Ulm. europeennes (Ephemeroptera, Oligoneuriidae).- Bull. Acad. Pol. Sci. **H21.10**: 657-665, Warszawa.
- STUEDEMANN, D., P. LANDOLT, M. SARTORI, D. HEFTI & I. TOMKA (1992): Ephemeroptera.- In: *Insecta helvetica* 9,174 S., Fribourg.

Anschrift der Verfasser: Prof. Dr. B. Russev & Y. Vidinova, Bulgarian Academy of Sciences, Institute of Zoology, boul. Zar Osvoboditel 1, BG-1000 Sofia, Bulgaria

Manuskripteingang: 12.01.1994