

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/366513744>

Baetis calcaratus Keffermüller, 1972 new to Hungary, with notes on the distribution of Baetis tricolor Tshernova, 1928 (Ephemeroptera: Baetidae)

Article · December 2022

CITATIONS

0

READS

49

2 authors:



Peter Weichselbaumer

Independent researcher

13 PUBLICATIONS 73 CITATIONS

[SEE PROFILE](#)



Tibor Kovács

Mátra Museum of the Hungarian Natural History Museum, Gyöngyös, Hungary

247 PUBLICATIONS 1,349 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Studies on aquatic invertebrates [View project](#)



Microhabitat based community structure of freshwater macroinvertebrates [View project](#)

***Baetis calcaratus* Keffermüller, 1972 new to Hungary,
with notes on the distribution of *Baetis tricolor* Tshernova, 1928
(Ephemeroptera: Baetidae)**

PETER WEICHSELBAUMER & TIBOR KOVÁCS

ABSTRACT: Applying a new test method, the pharate larvae can be identified to the species level in the case of *Baetis calcaratus* and *B. tricolor*. Re-examination of previously collected materials brought the result that, in addition to *B. tricolor*, *B. calcaratus* also occurs in Hungary. It is a new species in the Hungarian Ephemeroptera fauna, which now consists of 99 species. Some Lithuanian specimens of the two species are also enumerated.

Introduction

Five species of the subgenus *Baetis* (*Labiobaetis*) are currently known in Europe: *B. atrebatinus*, *B. balcanicus*, *B. calcaratus*, *B. neglectus* and *B. tricolor* (JACOB 2003, BAUERNFEIND & SOLDÁN 2012). For Central Europe, only *B. calcaratus* and *B. tricolor* have been taken into account by BAUENFEIND & HUMPESH (2001). The first Hungarian data on *B. tricolor* was reported by Kovács et al. (2001a). In addition, the following articles details the Hungarian distribution of the species, housed in the collection of the Mátra Museum of the Hungarian Natural History Museum (Gyöngyös, Hungary): Kovács 2005, 2006bc, Kovács & AMBRUS 2001, 2002, Kovács et al. 2001b, 2002ab, 2003.

Material and methods

The examined material of the Mátra Museum of the Hungarian Natural History Museum (Gyöngyös, Hungary) contains larvae in different stages of development. To distinguish *Baetis calcaratus* and *B. tricolor* from the other European species of the subgenus *Labiobaetis*, the bristles on the ventral side of the labrum were taken into account. The examined material showed the typical 1+3 to 5 patterns characteristic for *B. calcaratus* and *B. tricolor* (MÜLLER-LIEBENAU 1969, JACOB 2003).

The distinction between the larvae of *B. calcaratus* and *B. tricolor* is possible only in case of pharate last instar. Accordingly, the exuviae of the hind wingpad of the larvae have to be dissected and the presence of a processus costalis controlled: it can be detected in *B. calcaratus* (Fig. 1, 2: Pc = Processus costalis), while it is missing in *B. tricolor* (KEFFERMÜLLER 1972, JACOB 2003, BAUERNFEIND & HUMPESCH 2001, BAUERNFEIND & SOLDÁN 2012).




Fig. 1. *Baetis calcaratus*, larval hind wing pad; Pc = Processus costalis




Fig. 2. *Baetis calcaratus*, nymphal hind wing dissected from exuvia; Pc = Processus costalis

Revised data

Baetis calcaratus Keffermüller, 1972

KOVÁCS & AMBRUS (2001), sub nomen *Baetis tricolor* Tshernova, 1928:
Körmend: road number 86, Rába, 01.07.1999, 5, AA, KBZs, KT > 1 ♂, 3 ♀
Szentgotthárd: Lapincs, 01.07.1999, 1, AA, KBZs, KT > 1 ♀

Baetis tricolor Tshernova, 1928

Kovács et al. (2001a):
Kiszombor: Route No. 43, Maros, DS51, 01.09.1997, 1, P. Juhász, B. Kiss, T. Kovács, P. Olajos > 1 ♂
Molnászecsőd: Road to Döröske, Rába, XN21, 18.08.1998, 7, A. Ambrus, T. Kovács > 3 ♂, 3 ♀
Nagylak: Maros, DS71, 01.09.1997, 1, P. Juhász, B. Kiss, T. Kovács, P. Olajos > 1 ♀
Rábahidvég: Route No. 8, Rába, XN31, 18.08.1998, 2, A. Ambrus, T. Kovács > 1 ♂
Szatmárcseke: Túrbukó, Tisza, FU22, 27.09.1995, 1, K. Bánkuti, P. Juhász, T. Kovács > 1 ♀
Tarpa: 710 river km, Tisza, FU12, 06.06.1996, 4, T. Kovács > 2 ♀

Tiszabecs: Mázsáló, Tisza, FU33, 28.09.1995, 1, K. Bánkuti, T. Kovács > **1 ♀**
Tiszabecs: Szabó-füzes, Border stone No. 109, Tisza, FU33, 03.08.1995, 2, P. Juhász, T. Kovács > **2 ♂**
Vésztő: Road to Újiráz, Sebes-Körös, ET20, 02.09.1997, 7, P. Juhász, B. Kiss, T. Kovács, P. Olajos > **1 ♂, 1 ♀**

Kovács & AMBRUS (2001):

Györ: road number 10, Rába, 26.08.1999, 6, AA, JP, KT> **1 ♀**
Molnászecsőd: road to Döröske, Rába, 21.07.2000, 4, AA, KD, KT > **2 ♂**
Vág: road to Kemenesszentpéter, Rába, 10.08.1999, 1, KT > **1 ♀**
Várkesző: road to Szany, Rába, 10.08.1999, 1, KT > **1 ♂**

Kovács et al. (2001b):

Szatmárcseke: Irványos, 24.09.1997, 1, JP, KT, KV, TI > **1 ♀**
Tarpa: 710 river kilometre, 08.09.1999, 1, JP, KT > **1 ♀**
Tiszaujváros: road number 35, 09.09.1999, 3, KT, VA > **1 ♂**

Kovács & AMBRUS (2002):

Körmend: 86-os út, Rába, 2001.VII.11, [1] AA-KT > **1 ♂**

Kovács et al. (2002b)

Döge: dike-reeve's house, 2000. VI. 03., 3, KT > **2 ♀**
Tiszabecs: lido, 2000. VI. 03., 5, KT > **2 ♂**
Tiszatelek: Tiszahát, 2000. IX. 09., 3, KT > **1 ♀**

Kovács et al. (2003)

Alsóberecki: sátoraljaújhelyi út, Bodrog, 2001.06.11., 5, CsB > **1 ♂**
Apátfalva: volt nagycsanádi (Cenad) út, Maros, 1999.06.10., 3, sKT-KT > **1 ♀**
Berzék: Szemere-legelő, Hernád, 1999.08.27., 1, KT-VA > **1 ♂**
Berzék: Szemere-legelő, Hernád, 1999.10.13., 1, KT-VA > **1 ♀**
Berzék: Szemere-legelő, Hernád, 2000.08.30., 4, KT-VA > **1 ♂**
Bőcs: sajóládi út, Hernád, 1999.08.27., 4, KT-VA > **2 ♂, 1 ♀**
Dombrád: Üdülöterület, Tisza, 2001.10.07., 4, pg, CsB-JP-KV > **2 ♀**
Felsőberecki: rév, Bodrog, 1999.08.21., 7, HG-KT > **2 ♂, 3 ♀**
Felsőberecki: rév, Bodrog, 2001.08.12., 3, JP-KV > **1 ♀**
Gávavencsellő: Lomos, Tisza, 2001.08.16., 3, AA-KT > **2 ♂**
Gyula: sarkadi út, Fekete-Körös, 2001.08.22., 1, JP-KV > **1 ♂**
Kiszombor: 43-as út, Maros, 2001.06.05., 2, JP > **1 ♀**
Kiszombor: szivattyútelep, Maros, 1999.06.10., 2, sKT-KT > **1 ♂, 1 ♀**
Makó: strand, Maros, 2000.05.25., 4, AA-JP-KT-KV > **2 ♂**
Makó: strand, Maros, 2000.10.14., 5, AA-OP > **1 ♂**
Nagylak: Maros, 1999.06.10., 2, sKT-KT > **2 ♂**
Nagylak: Maros, 2001.06.05., 6, JP > **2 ♂, 3 ♀**
Szeged: Belvárosi híd, Tisza, 2001.07.16., 4, CsB > **1 ♀**
Tiszabecs: strand, Tisza, 2001.06.14., 1, AA > **1 ♀**
Tiszabecs: strand, Tisza, 2001.06.18., 6, CsB > **2 ♂, 2 ♀**
Tiszabecs: strand, Tisza, 2002.06.24., 6, KT > **2 ♂, 3 ♀**
Tividar: strand, Tisza, 2001.10.08., 2, CsB-JP-KV > **1 ♀**
Tunyogmatolcs: 491-es út, Szamos, 2001.10.08., 1, CsB-JP-KV > **1 ♂**

Kovács (2005):

Berzék: Szemere-legelő, Hernád, 2003.09.25., 1, KT-VA > **1 ♀**
Ipolydamásd: volt határátkelő, Ipoly, 2003.08.14., 3, AA-JP-KT-VI > **1 ♂**

Kovács (2006b):

Berzék: Gaga, Hernád, 2006.07.24., 1, JP, Q > **1 ♂**
Bőcs: Asó-berek, Hernád, 2006.07.24., 1, JP, Q > **3 ♂**
Hernádnémeti: Gyalog-legelő, Hernád, 2006.07.24., 1, JP, Q > **1 ♂**

Ipolydamásd: volt határátkelő, Ipoly, 2006.07.26., 1, MZ, Q > 5♂, 1♀
 Komlódtótfalu: komp, Szamos, 2005.10.07., 1, JP-KT > 1 ♀
 Nagyhódos: határra vezető út, Túr, 2006.10.03., 1, JP-KT > 1 ♀
 Vág: kemenesszentpéteri út, Rába, 2005.09.09., 1, JP-KT > 1 ♀

Results and discussion

Based on the examined larvae, the distribution of the species in Hungary is shown in Fig. 3. *Baetis calcaratus* is confirmed from the Lapincs and Rába, while *B. tricolor* lives in the following watercourses: Bodrog, Bodrog, Fekete-Körös, Hernád, Ipoly, Maros, Rába, Sebes-Körös, Szamos, Tisza, Túr. There are additional sampling sites on the following rivers where the developmental stage of the collected larvae did not allow separation of the two species: Bodrog, Fekete-Körös, Hármas-Körös, Hernád, Ipoly, Lapincs, Maros, Rába, Sebes-Körös, Szamos, Tisza. Both species occur at a single locality in the Rába at Körmend.

The latest checklist of the Hungarian Ephemeroptera fauna lists 91 species (KOVÁCS & BAUERNFEIND 2003). Since then, the following species were added to the list: *Ecdyonurus macani* Thomas & Sowa, 1970 (OERTEL et al. 2005); *Electrogena quadrilineata* (Landa, 1970), *Rhithrogena carpatoalpina* Klonowska, Olechowska, Sartori & Weichselbaumer, 1987 (CSER 2005, CSER & ERŐS 2005, ERŐS et al. 2005); *Cloeon petropolitanum* Kluge & Novikova, 1992 (KOVÁCS 2006a); *Baetis liebenauae* Keffermüller, 1974 (KOVÁCS 2006c), *Baetis melanonyx* (Pictet, 1843) (KOVÁCS 2007); *Ecdyonurus picteti* (Meyer-Dür, 1864) (CSER & AKÁC 2010). *Baetis calcaratus* is the 99th species of the Hungarian Ephemeroptera fauna.




Fig. 3. Hungarian collecting sites of *Baetis calcaratus* = ○, *B. tricolor* = ●, and *B. calcaratus/tricolor* = ●

Publishing mayflies from Lithuania, Kovács et al. (2008, 2011) indicated that identification of some specimens of *Labiobaetis* is still in progress. The results of these are:

Baetis calcaratus Keffermüller, 1972 – Jadagoniai: Nemunas, 12.07.2011, 1 ♀, KT-NH-OP – Merkiné: Merkys, 10.07.2011, 1m, 1 ♀, KT-NH-OP – Seredzius: Dubysa, 11.07.2011, 1 ♀, KT-NH-OP – Trasninkas: mouth of Skroblus, Merkys, 03.07.2008, 1 ♀, AA-KT-NH-OP.

Baetis tricolor Tshernova, 1928 – Druskininkai: Baltašiske, Nemunas, 03.07.2008, 2 ♀, AA-KT-NH-OP.

Acknowledgements: We are grateful to Péter Olajos (BioAqua, Debrecen) for creating the map.

References

- BAUERNFEIND E. & HUMPE SCH U. H. (2001): Die Eintagsfliegen Zentraleuropas (Insecta: Ephemeroptera): Bestimmung und Ökologie. – Verlag des Naturhistorischen Museums Wien, Wien, 239 pp.
- BAUERNFEIND E. & SOLDÁN T. (2012): The Mayflies of Europe (Ephemeroptera). – Apollo Books, Vester Skerninge, 781 pp.
- CSER B. (2005): A Börzsönyi-patak kérészfaunájának vizsgálata (Investigation on mayfly fauna of Börzsöny stream.). – Acta biologica Debrecina. Supplementum oecologica hungarica, 13: 49–53.
- CSER B. & AKÁC A. (2010): Újabb adatok a Börzsöny és az Ipoly kérészfaunájának (Ephemeroptera) ismeretéhez. (New data to the knowledge of the mayfly (Ephemeroptera) fauna of the Mountains Börzsöny and River Ipoly.) – Acta biologica Debrecina. Supplementum oecologica hungarica, 21: 67–71.
- CSER B. & ERŐS T. (2005): A börzsönyi Kemence- és Bernecei-patakok kérészfaunájának értékelése. (Evaluation of the mayfly fauna of the Kemence and Bernece streams int he Börzsöny Mountains, Hungary.) – Hidrológiai Közlöny, 85(6): 29–31.
- ERŐS T., SCHMERA D., CSER B., CSABAI Z. & MURÁNYI D. (2005): Makrogerinctelen együttesek összetétele két középhegységi patakokban – A patak rendűség és a gázló-medence szerkezet szerepe. (Composition of macroinvertebrate assemblages in two submontane streams – The influence of stream order and riffle-pool structure.) – Acta biologica Debrecina. Supplementum oecologica hungarica, 13: 85–94.
- JACOB U. (2003): Baetis Leach 1815 sensu stricto oder sensu lato. Ein Beitrag zum Gattungskonzept auf der Grundlage von Artengruppen mit Bestimmungsschlüsseln. – Lauterbornia, 47: 59–129.
- KEFFERMÜLLER M. (1972): Badania nad fauną jeteł (Ephemeroptera) Wielkopolski. IV. Analiza znienności Baetis tricolor Tsher. wraz z opisem B. calcaratus sp.n. – Poznanskie Towarzystwo Przyjaciół Nauk, Wydział-Matematyczno-Przyrodniczy, Prace Komisji Biologicznej, 35(4): 1–47.
- KOVÁCS T. (2005): Data to the Hungarian mayfly (Ephemeroptera) fauna arising from collectings of larvae III. – Folia historico-naturalia Musei Matraensis, 29: 101–110.
- KOVÁCS T. (2006a): Cloeon petropolitanum Kluge et Novikova, 1992 in the Carpathian Basin (Ephemeroptera: Baetidae). – Folia historico-naturalia musei matraensis, 30: 139–142.
- KOVÁCS T. (2006b): Data to the Hungarian mayfly (Ephemeroptera) fauna arising from collectings of larvae IV. – Folia historico-naturalia Musei Matraensis, 30: 143–158.
- KOVÁCS T. (2006c): Faunistical results of the Ephemeroptera investigations carried out in the frames of the ecological survey of the surface waters of Hungary (ECOSURV) in 2005. – Folia historico-naturalia Musei Matraensis, 30: 325–331.
- KOVÁCS T. (2007): Re-identification of four mayfly species from Hungary (Ephemeroptera). – Folia historico-naturalia Musei Matraensis, 31: 131–132.
- KOVÁCS T. & AMBRUS A. (2001): Ephemeroptera, Odonata and Plecoptera larvae from the River Rába and River Lapincs. – Folia historico-naturalia Musei Matraensis, 25: 145–162.
- KOVÁCS T. & AMBRUS A. (2002): Lárva adatok az Őrség és a Kerka-vidék (Hetés) kérész, szitakötő és álkérész faunájához (Ephemeroptera, Odonata, Plecoptera) (Data of larvae to the mayfly, dragonfly and stonefly fauna of the Őrség and Kerka-vidék (Hetés) (Ephemeroptera, Odonata, Plecoptera).). – Praenorica, Folia historico-naturalia, 6: 23–40.
- KOVÁCS T. & BAUERNFEIND E. (2003): Checklist of the Hungarian mayfly fauna (Ephemeroptera). – Folia entomologica hungarica, 64: 69–84.

- KOVÁCS T., AMBRUS A. & JUHÁSZ P. (2001a): New Hungarian mayfly (Ephemeroptera) species arising from collectings of larvae II. – *Miscellanea zoologica hungarica*, 13(2000): 81–83.
- KOVÁCS T., AMBRUS A. & JUHÁSZ P. (2002a): Ephemeroptera and Odonata larvae from the River Ipoly (Hungary). – *Folia historico-naturalia Musei Matraensis*, 26: 163–167.
- KOVÁCS T., AMBRUS A. & JUHÁSZ P. (2002b): Ephemeroptera, Odonata and Plecoptera larvae from the River Tisza in the year of cyanid pollution (2000). – *Folia historico-naturalia Musei Matraensis*, 26: 169–178.
- KOVÁCS T., AMBRUS A. & JUHÁSZ P. (2003): Data to the Hungarian mayfly (Ephemeroptera) fauna arising from collectings of larvae II. – *Folia historico-naturalia Musei Matraensis*, 27: 59–72.
- KOVÁCS T., AMBRUS A., JUHÁSZ P., OLAIOS P. & SZILÁGYI G. (2008): Records of Ephemeroptera and Plecoptera from Lithuania, with notes on aquatic arthropods. – *Folia historico-naturalia Musei Matraensis*, 32: 119–134.
- KOVÁCS T., JUHÁSZ P. & TURCSÁNYI I. (2001b): Ephemeroptera, Odonata and Plecoptera larvae from the River Tisza (1997–1999). – *Folia historico-naturalia Musei Matraensis*, 25: 135–143.
- KOVÁCS T., OLAIOS P. & SZILÁGYI G. (2011): Records of Ephemeroptera, Odonata and Plecoptera from Lithuania, with notes on aquatic arthropods. – *Folia historico-naturalia Musei Matraensis*, 35: 21–32.
- MÜLLER-LIEBENAU I. (1969): Revision der europäischen Arten der Gattung *Baetis* Leach, 1815 (Insecta, Ephemeroptera). – *Gewässer und Abwässer*, 48/49: 1–214.
- OERTEL N., NOSEK J. & ANDRIKOVICS S. (2005): A magyar Duna-szakasz litorális zónájának makroszkopikus gerinctelen faunája (1998–2000). (Macroinvertebrates in the littoral zone of the Hungarian Danube section (1998–2000).) – *Acta Biologica Debrecina, Supplementum Oecologica Hungarica*, 13: 159–185.

Peter WEICHSELBAUMER
Gschwendt 1
A-6075 Tulfes, Austria
E-mail: p.weichselbaumer@gmx.at

Tibor KOVÁCS
Mátra Museum of the Hungarian Natural History Museum
H-3200 Gyöngyös, Hungary
Kossuth Lajos u. 40
E-mail: koati1965@gmail.com