

Case 3502

Coluber nummifer Reuss, 1834 (currently *Hemorrhois nummifer*; Reptilia, Serpentes): proposed conservation of the specific name

Beat Schätti

Apartado postal 9, San Pedro Pochutla, Oaxaca 70900, Mexico
(e-mail: beatschaetti@hotmail.com)

Frank Tillack

Draesekestraße 8, D-12487 Berlin, Germany
(e-mail: frank-tillack@t-online.de)

Abstract. The purpose of this application, under Article 23.9.3 of the Code, is to conserve the widely used specific name *nummifer* Reuss, 1834 for an eastern Mediterranean colubrine snake originally published within *Coluber* Linnaeus, 1758 and currently referred to the genus *Hemorrhois* Boie, 1826. It is threatened by its putative senior synonym *Coluber tyria* Linnaeus, 1758, which after 1899 has been applied to *Coluber cliffordii* Schlegel, 1837, a taxon considered conspecific with the Saharo-Sindian *Coluber diadema* Schlegel, 1837 belonging to *Spalerosophis* Jan, 1865 (*Spalerosophis diadema* ssp.).

Keywords. Nomenclature; taxonomy; Reptilia; COLUBRIDAE; *Coluber*; *Hemorrhois*; *Spalerosophis*; *Coluber tyria*; *Hemorrhois nummifer*; *Spalerosophis diadema diadema*; *S. diadema cliffordii*; coin snake; diadem snake; eastern Mediterranean; Saharo-Sindian.

1. *Coluber tyria* Linnaeus (1758, p. 224) was established for a colubrine from Egypt ('Habitat in Ægypto') collected by Fredrik Hasselquist. The holotype is lost (Andersson, 1899) and the specific name not mentioned in Hasselquist's (1757) posthumously published 'Iter Palaestinum'. It was used as valid in, for instance, Gmelin (1789), Lacépède (1789), Bonnaterre (1790), Donndorff (1798), Suckow (1798), Bechstein (1801), Sonnini & Latreille (1801), Shaw (1802), Daudin (1803), Oken (1816) and Cuvier (1818); *tyria* was also cited by Merrem (1820) under *Natrix* auctt. (for further citations until 1820 see Schätti et al., 2009b).

2. Geoffroy Saint-Hilaire (1827, pp. 150–151) regarded the description of *Coluber tyria* as too short and deficient to permit a positive identification. Nevertheless, he speculated that with the exception of the number of subcaudals, considered to be rather unimportant, the morphological characters of *C. tyria* agreed perfectly with his 'Couleuvre aux raies parallèles' from Egypt (Geoffroy Saint-Hilaire, 1827, p. 147, pl. 8, fig. 1, in the text also as 'Couleuvre à raies parallèles', later named *Coluber cliffordii* Schlegel, 1837). However, he explicitly used the vernacular name in order to avoid making a possible mistake and replacing a doubt by an error. The specific name *tyria* was not mentioned in herpetological contributions between 1828 and the 1930s

(e.g. Gray, 1831; Schlegel, 1837; Duméril et al., 1854; Günther, 1858), except for two tentative entries in synonymies (Boulenger, 1893; Anderson, 1898) and a few quotations in encyclopaedias (e.g. Drapiez, 1838; Glaire & Walsh, 1846). The alleged citation in Figari (1864) reported by Schärtti et al. (2009b) actually refers to *Coluber cahirinus* Gmelin, 1789, a nomen oblitum as declared by these authors.

3. *Coluber diadema* Schlegel (1837, vol. 1, p. 146; vol. 2, p. 148) was described based on Russell's (1807, p. 34, pl. XXX) two specimens of '*Coluber*' (both probably lost) from the vicinity of 'Buchier' (Bushehr or Bushire), Iran, and erroneously reported from the vicinity of Mumbai, India (Schlegel, 1837, vol. 2, p. 148, 'dans les environs de Bombay'). This species, currently referred to the genus *Spalerosophis* Jan, 1865, is distributed from North Africa to Central Asia and probably Northwest India (Schärtti et al., 2009a).

4. *Coluber cliffordii* Schlegel, 1837 (vol. 1, p. 148; vol. 2, p. 163; pl. VI, figs. 13–14) from Barbary ('dans les États barbaresques' according to vol. 2) is based on an unknown number of specimens received from Clifford Cocq van Breugel, the Dutch Consul at Tripoli, Libya, which is considered to be the type locality (e.g. Marx, 1959; Kramer & Schnurrenberger, 1963). Mertens (1940) referred to the individual illustrated in the original description as the 'Typus' and this qualifies as a lectotype designation (Article 74.5 of the Code); the specimen's present whereabouts are unknown. Two extant paralectotypes from Tripoli (RMNH 476a-b) are in the herpetological collection of the National Museum of Natural History/Naturalis, Leiden, The Netherlands. Schlegel (1837) cited Geoffroy Saint-Hilaire's (1827, p. 147, pl. 8, fig. 1) 'Couleuvre aux raies parallèles' as an early reference to *C. cliffordii* and listed *C. nummifer* Reuss, 1834 as a senior subjective synonym of the latter.

5. Reuss (1834, p. 135) described *Coluber nummifer* on the basis of a single specimen from Egypt (SMF 18236) in the herpetological collection of the Forschungsinstitut und Naturmuseum Senckenberg in Frankfurt am Main, Germany (Boettger, 1898, no. 7407a; Mertens, 1967). *Coluber nummifer* (currently assigned to *Hemorrhois* Boie, 1826) ranges from the eastern Mediterranean to Central Asia. The name *nummifer* (in combination with *Coluber* auctt. or *Hemorrhois* Boie) has been used as a specific or subspecific name in taxonomic papers, faunistic surveys, conservation reports, identification keys, field guides, zoogeographical analyses, classifications, phylogenies and molecular studies as well as in notes about its distribution, biology, anatomy, physiology and parasites (e.g. Corkill & Cochrane, 1966; Mertens, 1967; Werner, 1971; Andren & Nilson, 1976; Baran, 1976; Başoğlu & Baran, 1980; Schärtti & Agasian, 1985; Disi et al., 1988; Gruber, 1989; Leviton et al., 1992; Amr et al., 1994; Böhme & Wiedl, 1994; Schleich et al., 1996; Saleh, 1997; Wallach, 1998; Latifi, 2000; Göçmen et al., 2001; Schärtti & Utiger, 2001; Hille et al., 2002; Auliya, 2003; Nagy et al., 2004; Baha El Din, 2006; Sindaco et al., 2006; Franzen et al., 2008; Valakos et al., 2008; Arikhan et al., 2009).

6. Terentjev & Chernov (1936, p. 64) believed *Coluber tyria* to be a senior synonym of *C. diadema* Schlegel. The name *tyria* has since been in common use in the herpetological literature of the former USSR (e.g. Terentjev & Chernov, 1949; Chernov, 1959; Bogdanov, 1960, 1962; Vasiljev et al., 1960; Terentjev, 1961; Drosdov, 1967; Shammakov, 1971; Jadgarov, 1972; Said-Alijev, 1973; Shukurov, 1973; Atajev, 1974, 1975a-b; Tsellarius, 1975; Said-Alijev, 1979). It should be emphasised that this practice was entirely limited to this country; elsewhere, except

for early references (see para. 2), *C. tyria* has never been used as a valid name for any snake species. Mertens (1940) noted that Linnaeus's (1758) description of *tyria* better fitted *C. ravergeri nummifer* than *Spalerosophis diadema*. However, in the absence of the holotype, Mertens (1940) and Dundee (1994) considered the identity of *C. tyria* uncertain, and the former chose to reject this name. Although Lanza (1964) concurred with the opinion of the authors from countries of the former USSR, he proposed to suppress *tyria* for the sake of taxonomic stability. The name *tyria* was finally abandoned by herpetologists but continued to appear sporadically in ecological and physiological papers until recently (e.g. Lioubimtseva, 2002; Kazakov et al., 2003, 2004).

7. Most herpetologists (e.g. Terentjev & Chernov, 1936, 1949; Chernov, 1959; Marx, 1959; Baig & Masroor, 2008; Schähti et al., 2009b) considered *Coluber cliffordii* as a subspecies of *C. diadema*. These names are simultaneous synonyms and Marx (1959, p. 350), acting as the First Reviser, gave precedence to *diadema*. However, Schmidt (1939) and a few subsequent authors (e.g. Khalaf, 1960; Latifi, 1991; Trape & Mané, 2006) treated *cliffordii* as a distinct species. Marx (1959) distinguished *cliffordii* from *diadema* by the number of subcaudals but Lanza (1964) observed that the lectotype of *diadema* figured by Russell (1807) had a count that would render illusory the morphological separation of *diadema* from *cliffordii* sensu Marx (1959).

8. '[B]ased on the description provided and on Lacepède's [sic] (1789: p. 86, 264) statement that the species occurs in Egypt', Smith & David (1999) concluded that *Coluber tyria* was a senior subjective synonym of *Coluber nummifer* Reuss, 1834 (these authors quoted Reuss's name in parentheses and attributed *Coluber tyria* to Linnaeus, 1766). Their synonymy was supported by Schähti et al. (2009b). However, Smith & David's (1999) rationale that Linnaeus's name should be regarded as a nomen oblitum, and *C. nummifer* as a nomen protectum in that context is not correct because the condition to be declared a nomen oblitum as stipulated in Article 23.9.1.1 of the Code (i.e. not used as valid after 1899) is not met. *C. tyria* has been used as valid after 1899, though for a different species (see para. 6).

9. Although the conservation of Linnaean names certainly provides stability of nomenclature, replacing the well-established specific name *nummifer* Reuss by its senior subjective synonym *tyria* Linnaeus would result in enormous confusion in various fields of empirical and applied biology, the more so as *Coluber tyria* was temporarily used for *Spalerosophis diadema* (see para. 6), while *C. nummifer* has universally been considered to be the valid scientific name of the coin snake, except for confusions with *Coluber ravergeri* Ménériés, 1832 (p. 69).

10. In an attempt to conserve *C. tyria*, an alternative approach to our petition (para. 11) was proposed during the review process of this application. It consists of a reversion to the former standard practice in the USSR, when *tyria* was used in place of its putative junior synonym *diadema* (see para. 6), i.e. by making the former a senior subjective synonym of the latter. Since *tyria* as originally proposed is not considered to be conspecific with *diadema*, the designation of a neotype for *C. tyria* from among geographically relevant specimens of *C. diadema* would require action by the Commission using the plenary power, under Article 75.6 of the Code, to avoid the violation of Article 75.3.5. This proposal suggesting the conservation of the name *nummifer* by changing the identity of *tyria*, seems undesirable. The designation of a neotype for *C. tyria* would entail a precarious situation due to the as yet unresolved

taxonomic status of *C. cliffordii*, which may be specifically distinct from *diadema* (see para. 7), and uncertain origin of the type series of *diadema*, based in particular on conflicting morphological data (Schmidt, 1955) of diadem snakes from the vicinity of Bushehr, the supposed type locality of *diadema*. Although we are convinced that *Coluber tyria* is a senior subjective synonym of *C. nummifer*, the absence of a name-bearing type makes an unequivocal assessment of the identity of *C. tyria* impossible and future opinions advocating an alleged status as a senior synonym of *C. cliffordii* cannot be excluded. If *cliffordii* were found to be specifically distinct from *diadema*, the designation of a neotype for *C. tyria* would lead to further confusion.

11. We prefer the suppression of *C. tyria* as proposed by Mertens (1940) and Lanza (1964) instead of asking precedence over this name for *C. nummifer* and the potential junior synonyms *C. diadema* and *C. cliffordii*. Even though *C. tyria* has been used as valid up to the present time and, therefore, one of the two conditions for the reversal of precedence (Article 23.9.1.1 of the Code) is not met, this name has never been applied to the coin snake, for which *C. nummifer* has been used as valid in many works, including all works in the preceding 50 years (see list in para. 5), thereby fulfilling the conditions of Article 23.9.1.2 of the Code.

12. The International Commission on Zoological Nomenclature is accordingly asked:

- (1) to use its plenary power to suppress the specific name *tyria* Linnaeus, 1758, as published in the binomen *Coluber tyria*, for the purposes of the Principle of Priority, but not for those of the Principle of Homonymy;
- (2) to place on the Official List of Specific Names in Zoology the name *nummifer* Reuss, 1834, as published in the binomen *Coluber nummifer*;
- (3) to place on the Official Index of Rejected and Invalid Specific Names in Zoology the name *tyria* Linnaeus, 1758, as published in the binomen *Coluber tyria* and as suppressed in (1) above.

Acknowledgements

Van Wallach (*Museum of Comparative Zoology, Cambridge (Harvard University), U.S.A.*) scrutinised a draft of this petition and made valuable comments. Mirko Barts (*Kleinmachnow, Germany*) and Christoph Kucharzewski (*Berlin, Germany*) provided literature.

References

- Amr, Z.S., Al-Oran, R. & Disi, A.M.** 1994. Reptiles of southern Jordan. *The Snake*, **26**(1): 41–49.
- Anderson, J.** 1898. *Zoology of Egypt*, vol. 1. lxv, 371 pp. Quaritch, London.
- Andersson, L.G.** 1899. Catalogue of the Linnaean type-specimens of snakes in The Royal Museum in Stockholm. *Bihang till Kongliga Svenska Vetenskaps-Akademiens Handlingar*, **24**(4): 1–35.
- Andren [Andrén], C. & Nilson, G.** 1976. Observations on the herpetofauna of Turkey in 1968–1973. *British Journal of Herpetology*, **5**: 575–584.
- Arikan, H., Göçmen, B., Atatür, M.K., Kumultaş, Y. & Çiçek, K.** 2009. Morphology of peripheral blood cells from various Turkish snakes. *North-Western Journal of Zoology*, **5**(1): 61–73.
- Atajev, Ch.** 1974. Migration of mountainous reptiles into the river valleys of Turkmenistan. *Izvestiya Akademii Nauk Turkmenskoi SSR (Seriya Biologicheskikh Nauk)*, **1974**(3): 38–43.

- Atajev, Ch.** 1975a. Geographical round-up of the Turkmenistan mountains herpetofauna. *Izvestiya Akademii Nauk Turkmeneskoi SSR (Seriya Biologicheskikh Nauk)*, **1975**(3): 75–80.
- Atajev, Ch.** 1975b. About winter activities of reptiles from Kopetdag and Badkhyz. *Izvestiya Akademii Nauk Turkmeneskoi SSR (Seriya Biologicheskikh Nauk)*, **1975**(4): 63–67.
- Auliya, M.** 2003. *Hot trade in cool creatures. A review of the live reptile trade in the European Union in the 1990s with a focus on Germany*. 105 pp. Traffic Europe, Brussels.
- Baha El Din, S.** 2006. *A guide to the reptiles and amphibians of Egypt*. xi, 364 pp. The American University, Cairo – New York.
- Baig, K.J. & Masroor, R.** 2008. The snakes of the genus *Spalerosophis* Jan, 1865 in Indo-Pakistan and Iran (Squamata: Serpentes: Colubridae). *Herpetozoa*, **20**(3/4): 109–115.
- Baran, I.** 1976. *Türkiye yılanlarının taksonomik revizyonu ve coğrafi dağılışları* [Taxonomic revision of Turkish snakes and their geographical distribution]. ix, 177 pp. Türkiye bilimsel ve teknik araştırma kurumu, Izmir.
- Başoğlu, M. & Baran, I.** 1980. *Türkiye Sürüngenleri, II. Yılanlar (The reptiles of Turkey, part II, The snakes)*. ix, 219 pp. Bornova-Izmir, Ege Üniversitesi Matbaası.
- Bechstein, J.M.** 1801. *Herrn De la Cepede's [sic] Naturgeschichte der Amphibien [. . .]*, vol. 3, xxvi, 454 pp. Industrie-Comptoir, Weimar.
- Boettger, O.** 1898. *Katalog der Reptilien-Sammlung im Museum der Senckenbergischen naturforschenden Gesellschaft in Frankfurt am Main, II. Teil (Schlangen)*. ix, 160 pp. Gebr. Knauer, Frankfurt a. M.
- Bogdanov, O.P.** 1960. *Fauna Uzbekskoi SSR, 1, Zemnovodnye i presmykayushchiesya* [Fauna of Uzbekistan. I. Amphibians and reptiles]. 260 pp. Akademiya Nauk Uzbekskoi SSR, Tashkent.
- Bogdanov, O.P.** 1962. *Presmykayushchiesya Turkmenii* [Reptiles of Turkmenistan]. 235 pp. Akademiya Nauk Turkmenskoi SSR, Ashkhabad.
- Böhme, W. & Wiedl, H.** 1994. Status and zoogeography of the herpetofauna of Cyprus, with taxonomic and natural history notes on selected species (genera *Rana*, *Coluber*, *Natrix*, *Vipera*). *Zoology in the Middle East*, **10**(1): 31–52.
- Boie, F.** 1826. Generalübersicht der Familien und Gattungen der Ophidier. *Isis [Oken]*, **19**(10): 981–982.
- Bonnaterre, P.-J.** 1790. *Tableau encyclopédique et méthodique des trois règnes de la nature, Ophiologie*. xliv, 76 pp. Panckoucke, Paris.
- Boulenger, G.A.** 1893. *Catalogue of the snakes in the British Museum (Natural History)*, vol. 1. xiii, 448 pp. Trustees of the British Museum (Natural History), London.
- Chernov, S.A.** 1959. Presmykayushchiesya in: *Fauna Tadzhikskoi SSR*, vol. 18 [Fauna of Tadzhikistan. 18. Reptilia]. 204 pp. Akademiya Nauk Tadzhikskoi SSR, Stalinabad [Dushanbe].
- Corkill, N.L. & Cochrane, J.A.** 1966. The snakes of the Arabian Peninsula and Socotra. *Journal of the Bombay Natural History Society*, **62**(3) [1965]: 475–506.
- Cuvier, F.** 1818 (Ed.). *Dictionnaire des sciences naturelles [. . .]*, vol. 11. 617 pp. Levraud & Le Normant, Strasbourg & Paris.
- Daudin, F.M.** 1803. *Histoire naturelle, générale et particulière des reptiles*, vol. 7. 447 pp. F. Dufart, Paris.
- Disi, A.M., Amr, Z.S. & Defosse, D.** 1988. Contribution to the herpetofauna of Jordan. III. Snakes of Jordan. *The Snake*, **20**: 40–51.
- Donndorff, J.A.** 1798. *Zoologische Beyträge zur XIII. Ausgabe des Linnéischen Natursystems*, vol. 3. vi, 980 pp. Weidmann, Leipzig.
- Drapiez, P.A. J.** 1838. *Dictionnaire classique des sciences naturelles [. . .]*, vol. 3. 606 pp. Meline, Cans et Compagnie, Bruxelles.
- Drosdov, N.N.** 1967. Het leven der reptielen in de Kara-Koem woestijn. *Lacerta*, **26**(2): 13–16.
- Duméril, A.M.C., Bibron, G. & Duméril, A.** 1854. *Erpétologie générale ou histoire naturelle complète des reptiles*, vol. 7, part 1. xvi, 780 pp. Roret, Paris.
- Dundee, H.A.** 1994. Current names for Linnaeus's herpetological species in *Systema Naturae* X. Pp. 41–61 in Kitchell, K. Jr. & Dundee, H.A., *A trilogy on the herpetology of Linnaeus's*

- Systema Naturae X.* Smithsonian Herpetological Information Service no. 100, Washington.
- Figari, A.** [Bey] 1864. *Studii scientifici sull'Egitto e sue adiacenze compresa la penisola dell'Arabia Petrea*, vol. 1. xlxi, 301 pp. Giusti, Lucca.
- Franzen, M., Bußmann, M., Kordges, T. & Thiesmeier, B.** 2008. *Die Amphibien und Reptilien der Südwest-Türkei*. 328 pp. Laurenti-Verlag, Bielefeld (*Zeitschrift für Feldherpetologie, Supplement 14*).
- Geoffroy Saint-Hilaire, I.** 1827. Description des reptiles qui se trouvent en Égypte. Pp. 121–160 in Savigny, J.C., *Description de l'Égypte [. . .]*, vol. 1 [Histoire naturelle], part 1. Imprimerie Impériale, Paris [see Opinion 1461].
- Glaire, J.B. & Walsh, J.-A.** 1846. *Encyclopédie catholique [. . .]*, vol. 9. 852 pp. Parent-Desbarres, Paris.
- Gmelin, J.F.** 1789. *Caroli A Linné, Systema Naturae [. . .]*, Ed. 13, vol. 1, part 3. Pp. 1033–1516. Beer, Lipsia.
- Göçmen, B., Rastgeldi, S. & Özbel, Y.** 2001. Sürünlerde (Reptilia) *Cryptosporidium* Tyzzer, 1907 (Protista: Apicomplexa: Coccidia) ve Cryptosporidiosis. *Türkiye Parazitoloji Dergisi*, **25**(4): 335–338.
- Gray, J.E.** 1831. A synopsis of the species of the class Reptilia. Appendix. Pp. 1–110 in Griffith, E. & Pidgeon, E. (Eds.), *The Animal Kingdom arranged in conformity with its organization, by the Baron Cuvier [. . .] with additional descriptions of all the species hitherto named, and of many not before noticed*, vol. the ninth. The Class Reptilia [. . .] with specific descriptions. 368, 110 pp. Whittaker, Treacher, & Co., London (reprint 1996, Herprint International CC, Bredell [S. Africa]).
- Gruber, U.** 1989. *Die Schlangen Europas und rund ums Mittelmeer*. 248 pp. Franckh'sche Verlagsbuchhandlung, Stuttgart.
- Günther, A.** 1858. *Catalogue of colubrine snakes in the collection of the British Museum*. xvi, 281 pp. Trustees of the British Museum, London (reprint 1971, Alden Press, Oxford).
- Hasselquist, F.** 1757. *Iter Palaestinum [. . .] på Hennes Kongl. Majts befallning, utgifven af Carl Linnaeus*. xiv, 619 pp. Salvii, Holmiae [work rejected for nomenclatural purposes by Opinion 57].
- Hille, A., Janssen, I.A.W., Menken, S.B.J., Schlegel, M. & Thorpe, R.S.** 2002. Heterologous amplification of microsatellite markers from colubroid snakes in European Natricines (Serpentes: Natricinae). *The Journal of Heredity*, **93**(1): 63–66.
- Jadgarov, T.** 1972. O rasprostranenij pjatnistogo poloza v ferganskoj doline [Distribution of the Spotted Snake in the Fergana Valley]. *Uzbekiston Biologija Zhurnali [Uzbekskii Biologicheskii Zhurnal]*, **1972**(3): 69–70.
- Jan, G.** 1865. Prime linee d'una fauna della Persia occidentale. Pp. 341–363 in De Filippi, F., *Note di un viaggio in Persia nel 1862*. viii, 400 pp. G. Daelli & C. Editori, Milano.
- Kazakov, I.K., Abubakirova, M.E., Rejmbajeva, R.S., Apmatov, K.T. & Azimov, D.A.** 2003. Deistvie yada pyatnistogo poloza (*Coluber tyria* Linneus [sic]) i uzorchatogo poloza (*Elaphe dione* Pallas) na bislojnye lipidnye i mitokhondrialnye membrany [Effects of the venom of the Spotted Snake (*Coluber tyria* Linneus [sic]) and the Patterned Snake (*Elaphe dione* Pallas) on bilayer lipid and mitochondrial membranes]. *Izvestiya Vuzov* [Tashkent], **2003**(1–2): 37–42 [not seen, quoted from http://www.zoology.fan.uz/lab_toksikol.htm].
- Kazakov, I.K., Abubakirova, M.E., Rejmbajeva, R.S. & Azimov, D.A.** 2004. The effect of the venom of *Coluber tyria* Linneus [sic] on biological [sic] membranes. *O'zbekiston Biologiya Jurnali [Uzbekskii biologicheskii zhurnal]*, **2004**(2): 56–60.
- Khalaf, K.T.** 1960. Notes on a collection of lizards and snakes from Iraq. *Iraq Natural History Museum Publication*, **18**: 12–18.
- Kramer, E. & Schnurrenberger, H.** 1963. Systematik, Verbreitung und Ökologie der Libyschen Schlangen. *Revue Suisse de Zoologie*, **70**(3): 453–568.
- Lacépède [La Cépède, B.G.E.] Compte De.** 1789. *Histoire naturelle des serpens*, Tome second [Quarto ed.]. 8, 22, 144, 527 pp., 21 pls. [II–XXII]. Hôtel de Thou [Imprimerie du Roi], Paris [work rejected for nomenclatural purposes by Opinion 1463].
- Lanza, B.** 1964. Il genere *Sphalerosophis* [sic] e descrizione di una nuova species (Reptilia, Serpentes). *Monitore Zoologico Italiano*, **72**(1–2): 47–64.

- Latifi, M.** 1991. *The snakes of Iran* [1985, translated from Farsi]. Leviton, A.E. & Zug, G.R. (Eds). vii, 159 pp. Society for the Study of Amphibians and Reptiles, Oxford [Ohio].
- Latifi, M.** 2000. *Snakes of Iran*, 3rd rev. Ed. xi, 478 pp. Department of Environment, Teheran [in Farsi].
- Leviton, A.E., Anderson, S.C., Adler, K. & Minton, S.A.** 1992. *Handbook to Middle East amphibians and reptiles*. vii, 252 pp. Society for the Study of Amphibians and Reptiles, Oxford [Ohio].
- Linnaeus, C.** 1758. *Systema Naturae*, Ed. 10, vol. 1. 824 pp. Salvii, Holmiae.
- Lioubimtseva, E.** 2002. Arid environments. Pp. 267–283 in Shahgedanova, M. (Ed.), *The physical geography of Northern Eurasia*. xxiii, 571 pp. Oxford University Press, New York.
- Marx, H.** 1959. Review of the Colubrid snake genus *Spalerosophis*. *Fieldiana, Zoology*, **39**(30): 347–361.
- Ménétriés, E.** 1832. *Catalogue raisonné des objets de zoologie recueillis dans un voyage au Caucase et jusqu'aux frontières actuelles de la Perse*. 275, xxxviii pp. Imprimerie de l'Académie Impériale des Sciences, St.-Pétersbourg.
- Merrem, B.** 1820. *Versuch eines Systems der Amphibien [Tentamen Systematis Amphibiorum]*. xv, 191 pp. Krieger, Marburg.
- Mertens, R.** 1940. Bemerkungen über einige Schlangen aus Iran. *Senckenbergiana*, **22**(1/6): 244–259.
- Mertens, R.** 1967. Die herpetologische Sektion des Natur-Museums und Forschungs-Institutes Senckenberg in Frankfurt a. M. nebst einem Verzeichnis ihrer Typen. *Senckenbergiana biologica*, **48**(Sonderheft A): 1–106.
- Nagy, Z.T., Lawson, R., Joger U. & Wink, M.** 2004. Molecular systematics of racers, whipsnakes and relatives (Reptilia: Colubridae) using mitochondrial and nuclear markers. *Journal of Zoological Systematics and Evolutionary Research*, **42**(3): 223–233.
- Oken, L.** 1816. *Lehrbuch der Naturgeschichte*, vol. 3, part 2. xvi, 1270, [2] pp. August Schmid und Comp., Jena [work rejected for nomenclatural purposes by Opinion 417 (ICZN, 1956)].
- Opinion 57.** 1914. Names dating from Hasselquist's 'Iter Palaestinum', 1757, and the translation, 1762, are untenable. Pp. 131–134 in Opinions rendered by the International Commission on Zoological Nomenclature. Opinions 57 to 65. *Smithsonian Miscellaneous Collections*, **2256**: 131–169.
- Opinion 417.** 1956. Rejection for nomenclatural purposes of volume 3 (Zoology) of the work by Lorenz Oken entitled Okens Lehrbuch der Naturgeschichte published in 1815–1816. Pp. 3–42 in Hemming, F. (Ed.), *Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature*, **14**: xix, 520 pp.
- Opinion 1461.** 1987. A ruling on the authorship and dates of the text volumes of the Histoire naturelle section of Savigny's *Description de l'Egypte*. *Bulletin of Zoological Nomenclature*, **44**(3): 219–220.
- Opinion 1463.** 1987. DeLacépède, 1788–1789, *Histoire Naturelle des Serpens* and later editions: rejected as a non-binominal work. *Bulletin of Zoological Nomenclature*, **44**(4): 265–267.
- Reuss, A.** 1834. Zoologische Miscellen. Reptilien. Ophidier. *Museum Senckenbergianum*, **1**(6): 127–162.
- Russell, P.** 1807. *A Continuation of an Account of Indian Serpents [...]*, section 4. 10 pp. [29–38], 8 pls. [25–32]. Shakespeare Press, London.
- Said-Alijev, S.A.** 1973. O novykh nakhodkakh pyatnistogo poloza v Tadzhikistane [On new records of the Spotted Snake in Tadzhikistan]. Pp. 160–161 in Darevskij, I.S. (Ed.), *Voprosy gerpetologii* Akademija Nauk SSSR, Leningrad.
- Said-Alijev, S.A.** 1979. *Zemnovodnye i presmykajusczeja Tadzhikistana* [Amphibians and reptiles of Tadzhikistan]. 145 pp. Donish, Dushanbe.
- Saleh, M.A.** 1997. *Amphibians and reptiles of Egypt* [Publication of National Biodiversity Unit No. 6]. 243 pp. Egyptian Environmental Affairs Agency, Cairo.
- Schätti, B. & Agasian, A.** 1985. Ein neues Konzept für den *Coluber ravergeri*-C. *nummifer*-Komplex (Reptilia, Serpentes, Colubridae). *Zoologische Abhandlungen des Staatlichen Museums für Tierkunde Dresden*, **40**[9]: 109–123.

- Schätti, B., Tillack, F. & Helfenberger, N.** 2009a. A contribution to *Spalerosophis microlepis* Jan, 1865 with a short review of the genus and a key to the species (Squamata: Serpentes: Colubridae). *Herpetozoa*, **22**(3/4): 115–135.
- Schätti, B., Tillack, F. & Kucharzewski, Ch.** 2009b. Identität und Status dreier aus Ägypten beschriebener Schlangenarten: *Coluber tyria* Linnaeus, 1758, *Coluber cahirinus* Gmelin, 1789 und *Coluber geoffroyii* Gray, 1831 (Squamata: Serpentes: Colubridae). *Herpetozoa*, **22**(1/2): 43–54.
- Schätti, B. & Utiger, U.** 2001. *Hemerophis*, a new genus for *Zamenis socotrae* Günther, and a contribution to the phylogeny of Old World racers, whip snakes, and related genera (Reptilia: Squamata: Colubrinae). *Revue suisse de Zoologie*, **108**(4): 919–948.
- Schlegel, H.** 1837. *Essai sur la physionomie des serpens*, 2 vols., atlas. 268, 606, xvi pp., 21 pls. Kips & Stockum, La Haye.
- Schleich, H.H., Kästle, W. & Kabisch, K.** 1996. *Amphibians and reptiles of North Africa. Biology, systematics, field guide*. 631 pp. Koeltz, Koenigstein.
- Schmidt, K.P.** 1939. Reptiles and amphibians from southwestern Asia. *Field Museum of Natural History, Zoological Series*, **24**(7): 49–92.
- Schmidt, K.P.** 1955. Amphibians and reptiles from Iran. *Videnskabelige Meddelelser fra Dansk naturhistorisk Forening i København*, **117**: 193–207.
- Shammakov, S.** 1971. Concerning herpetofauna of the Kopetdagh piedmont plain. *Izvestiya Akademii Nauk Turkmenskoi SSR, Seriya Biologicheskikh Nauk*, **1971**(6): 49–55.
- Shaw, G.** 1802. *General zoology or systematic natural history*, vol. 3, part 2. vi, 304 pp. [313–615]. Kearsley, London.
- Shukurov, V.** 1973. Zmei zony srednego techeniya reki Amudaryi [Snakes of the middle course of the Amu Darya River]. Pp. 216–218 in Darevskij, I.S. (Ed.), *Voprosy gerpetologii* Akademiya Nauk SSSR, Leningrad.
- Sindaco, R., Serra, G. & Menegon, M.** 2006. New data on the Syrian herpetofauna with a newly-recorded species of snake. *Zoology in the Middle East*, **37**(1): 29–38.
- Smith, H.M. & David, P.** 1999. George Shaw and the Herpetology Volume in His Series, General Zoology. Pp. 5–96 in Shaw, G. 1802, *General zoology or systematic natural history*, vol. III. 711 pp. Society for the Study of Amphibians and Reptiles, Ithaca [NY] (facsimile reprint).
- Sonnini [de Manoncourt], Ch.N.S. & Latreille, P.-A.** 1801. *Histoire naturelle des reptiles*, vol. 2, part 1. 352 pp. Déterville, Paris.
- Suckow, G.A.** 1798. *Anfangsgründe der theoretischen und angewandten Naturgeschichte der Thiere*, part 3. 298 pp. Weidmann, Leipzig.
- Terentjev, P.V.** 1961. *Gerpetologiya, Uchenie o zemnovodnykh i presmykayushchikhsya* [Herpetology, The study of amphibians and reptiles]. 336 pp. Gosudarstvennoe Izdatelstvo Vysshaya Shkola, Moskva.
- Terentjev, P.V. & Chernov, S.A.** 1936. *Kratkij opredelitel zemnovodnykh i presmykayushchikhsya SSSR* [Short field guide to the reptiles and amphibians of the USSR]. 95 pp. Gosudarstvennoe Uchebno-Pedagogicheskoe Izdatelstvo, Moskva [Moscow] & Leningrad.
- Terentjev, P.V. & Chernov, S.A.** 1949. *Opredelitel presmykajuszczikhsja i zemnovodnykh* [Field guide to the reptiles and amphibians (of the USSR)], 3rd Ed. 340 pp. Sovetskaya Nauka, Moskva & Leningrad.
- Trape, J.-F. & Mané, Y.** 2006. *Guide des serpents d'Afrique occidentale, Savane et désert*. 226 pp. IRD, Paris.
- Tsellarius, A.Ju.** 1975. Fauna, biotopic distribution and numbers of reptiles in the Repetek Reserve. *Izvestija Akademii Nauk Turkmenskoj SSR (Serija Biologicheskikh Nauk)*, **1975**(6): 42–47.
- Valakos, E.D., Pafilis, P., Sotiropoulos, K., Lymberakis, P., Maragou, P. & Foufopoulos, J.** 2008. *The amphibians and reptiles of Greece*. 463 pp. Edition Chimaira, Frankfurt/M. [Frankfurt Contributions to Natural History, vol. 32].
- Vasiljev, S.V., Efimov, V.I. & Zarchidze, V.A.** 1960. Novye dannye po rasprostraneniju nekotorych pozvonochnykh severo-zapadnoj Turkmenii [New data on the distribution of

- some vertebrates of northwest Turkmenia]. *Izvestija Akademii Nauk Turkmenskoj SSR (Serija Biologicheskikh Nauk)*, **1960**(4): 82–83.
- Wallach V.** 1998. The lungs of snakes. Pp. 93–295 in Gans G.C. & Gaunt A.S. (Eds.), *Biology of the Reptilia*, vol. 19 (Morphology C) [Contributions to herpetology, vol. 14]. 660 pp. Society for the Study of Amphibians and Reptiles, Ithaca, New York.
- Werner, Y.L.** 1971. Lizards and snakes from Transjordan, recently acquired by the British Museum (Natural History). *Bulletin of the British Museum (Natural History), Zoology*, **21**(6): 213–256.

Acknowledgement of receipt of this application was published in BZN **66**: 204.

Comments on this case are invited for publication (subject to editing) in the Bulletin; they should be sent to the Executive Secretary, I.C.Z.N., c/o Natural History Museum, Cromwell Road, London SW7 5BD, U.K. (e-mail: iczn@nhm.ac.uk).